



Last Update: 1 July 2017 - Version 3.0

Model #	Valve Description	List Price
Electronic (Hands-Free)		
Hardwired TrueSense - Exposed Water Closets		
U1802-1.28-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.28 GPF)	627.80
U1802-1.28-SC-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION , SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.28 GPF)	648.40
U1802-1.6-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.6 GPF)	627.80
U1802-1.6-SC-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION , SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.6 GPF)	674.30
U1802-3-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (3.5 GPF)	627.80
Hardwired TrueSense - Exposed Urinals		
U1851-0.125-SC-T42	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (0.125 GPF)	605.20

Last Update: 1 July 2017 - Version 3.0

U1851-0.125-SC-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.125 GPF)	626.00
U1851-0.5-SC-T42	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (0.5 GPF)	605.20
U1851-0.5-SC-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.5 GPF)	626.00
U1851-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.0 GPF)	605.20
U1851-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.0 GPF)	605.20
U1852-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (4.5 GPF)	605.20
U1852-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.0 GPF)	605.20
U1852-1.5-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.5 GPF)	605.20

Last Update: 1 July 2017 - Version 3.0

U1852-3-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (3.5 GPF)	605.20
Hardwired	TrueSense - Concealed Water Closets	
U1834-1.28-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	557.30
U1834-1.28-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	1,015.60
U1834-1.6-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	557.30
U1834-1.6-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	1,015.60
U1834-3-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	557.30
U1834-3-SC-T42-WB	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	1,015.60
Hardwired	TrueSense - Concealed Urinals	

Last Update: 1 July 2017 - Version 3.0

U1871-0.125-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZED REQUIRED ****	557.30
U1871-0.125-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX (0.125 GPF) **** WALL SIZED REQUIRED ****	985.00
U1871-0.5-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	557.30
U1871-0.5-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX (0.5 GPF) **** WALL SIZED REQUIRED ****	985.00
U1871-1-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	557.30
U1871-1-SC-T42-WB	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX for ACCESS (1.0 GPF) **** WALL SIZED REQUIRED ****	985.00
U1872-0.125-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD & SLIPFIT CONNECTION (0.125 GPF) **** WALL SIZED REQUIRED ****	557.30
U1872-0.125-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX for ACCESS (0.125 GPF) **** WALL SIZED REQUIRED ****	985.00

Last Update: 1 July 2017 - Version 3.0

U1872-0.5-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	557.30
U1872-0.5-SC-T42-WB	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX for ACCESS (0.5 GPF) **** WALL SIZED REQUIRED ****	985.00
U1872-1-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	557.30
U1872-1-SC-T42-WB	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTOR & 13" x 17" WALL BOX for ACCESS (1.0 GPF) **** WALL SIZED REQUIRED ****	985.00
Hardwired	TrueSense - Hospital Applications	
U1855-1.6-SC-T42	EXPOSED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (for 34.375" ROUGH-Ins) (1.6 GPF)	892.50
U1861-1.6-SC-T42	EXPOSED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	928.20
Battery Powered	Pulsar - Exposed Water Closets	
PL1402-1.1-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.1 GPF)	579.70
PL1402-1.28-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	574.20
PL1402-1.6-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	574.20

Last Update: 1 July 2017 - Version 3.0

PL1402-1.6-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	574.20
PL1402-1.6-SC-T42-DF	EXPOSED PULSAR V2.0 VALVE for WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL FLUSH) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6/1.1 GPF)	578.30
PL1402-3-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	574.20
PL1402-3-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	574.20
Battery Powered	Pulsar - Exposed Urinals	
PL1451-0.125-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (0.125 GPF)	574.20
PL1451-0.125-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (0.125 GPF)	574.20
PL1451-0.5-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (0.5 GPF)	574.20
PL1451-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (0.5 GPF)	574.20
PL1451-1-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.0 GPF)	574.20
PL1451-1-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1 GPF)	574.20
PL1452-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (0.5 GPF)	574.20

Last Update: 1 July 2017 - Version 3.0

PL1452-1-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.0 GPF)	574.20
PL1452-1.5-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1 GPF)	574.20
Battery Powered	Pulsar - Hospital Application	
PL1455-1.6-SC-T42	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	761.30
Hardwired	Pulsar - Exposed Urinals	
PL1402-1.28-SC-T42-HW	EXPOSED PULSAR VALVE for WATER CLOSET (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	629.00
PL1402-1.6-SC-T42-HW	EXPOSED PULSAR VALVE for WATER CLOSET (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	629.00
PL1451-1-SC-T42-HW	EXPOSED PULSAR VALVE for URINAL (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1 GPF)	629.00
Battery Powered Retro-Fit	Pulsar - Retro-Fit Kits for Water Closets	
PL3003A-1.28	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.28 GPF)	446.30
PL3003A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.6 GPF)	446.30
PL3003A-1.6-DF	PULSAR V2.0 HANDS-FREE BATTERY POWERED, SENSOR OPERATED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY ULTRA WATER CLOSET VALVES (1.6/1.1 GPF)	477.40

Last Update: 1 July 2017 - Version 3.0

PL3003A-3	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF)	446.30
Battery Powered Retro-Fit	Pulsar - Retro-Fit Kits for Urinals	
PL3003A-0.125	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.125 GPF)	446.30
PL3003A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.5 GPF)	446.30
PL3003A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (1.0 GPF)	446.30
Battery Powered Retro-Fit	SideArm - Mechanical Side Mounted Retro-Fit Kits Water Closets & Urinals	
SA6007A	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL DELANY EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	299.30
SA6007A-SZ	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL SLOAN & ZURN EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	299.30
FAUCETS	Infinite Series	
SF1530-E	INFINITE SERIES - SURICAL SCRUB SINK - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED BY ELECTRICAL CONNECTION 9V TRANSFOMER	NLA
SF1540-B	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	525.00
SF1540-E	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFOMER	525.00
SF1591-B	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	619.50

Last Update: 1 July 2017 - Version 3.0

SF1591-E	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER	619.50
SF1593	INFINITE SERIES LAVATORY SENSOR FAUCET w/ INTERNAL 9V BATTERY and SOLENOID for PREMIXED WATER w/ a 0.5 GPM AERATOR	472.50
SF1594-B	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	472.50
SF1594-E	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER (Includes 4" DECK PLATE)	472.50
SF1596-B	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	588.00
SF1596-E	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER	588.00
SF1597-B	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by EXTERNALLY MOUNTED 9V BATTERY	635.30
SF1597-E	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER	635.30

Manual Valves

Diaphragm Style	Saber - Exposed Water Closets	
S402-1.1-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.1 GPF)	190.30
S402-1.28-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)	190.30
S402-1.28-SC-T42-SH	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & DUAL-FLUSH SMARTHANDLE (1.28 GPF)	207.50

Last Update: 1 July 2017 - Version 3.0

S402-1.28-SC-T42-SM	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.28 GPF)	489.55
S402-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.6 GPF)	190.30
S402-1.6-SC-T42-SH	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & DUAL-FLUSH SMARTHANDLE (1.6/1.1 GPF)	207.50
S402-1.6-SC-T42-SM	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.6 GPF)	489.55
S402-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (3.5 GPF)	190.30
S402-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
S414-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
S414-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	209.70
S414-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	209.70
S414-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	209.70
Saber - Exposed Urinals		
S451-0.125-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	190.30
S451-0.125-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	489.55



Last Update: 1 July 2017 - Version 3.0

S451-0.5-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.5 GPF)	190.30
S451-0.5-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.5 GPF)	489.55
S451-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	190.30
S451-1-SC-T42-SM	EXPOSED SABER VALVE for URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	489.55
S452-SC-T42	EXPOSED SABER VALVE for w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.5 GPF)	190.30
S452-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	190.30
Saber - Hospital Applications		
S418-6.5-SC-T42	EXPOSED SABER VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT & 1.5" x 24" FLUSH CONNECTION & SWEAT ADAPTOR KIT (6.5 GPF)	204.50
S418-SC-T42	EXPOSED SABER VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT & 1.5" x 24" FLUSH CONNECTION & SWEAT ADAPTOR KIT (4.5 GPF)	204.50
S455-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	581.50
S455-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF)	581.50
S455-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

S461-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	614.00
S461-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	614.00
S461-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	614.00
S461-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	NLA
Saber - Exposed Eastern Squat Toilets		
S474-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	242.40
S474-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	242.40
S474-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	242.40
S479-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.28 GPF)	252.50
S479-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.6 GPF)	252.50
S479-2.4-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (2.4 GPF)	NLA
S479-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (3.5 GPF)	252.50

Last Update: 1 July 2017 - Version 3.0

Diaphragm Style		ULTRA Plus - Exposed Water Closets	
UP402-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT CONNECTION & MASHAERATOR BYPASS (1.28 GPF)		187.80
UP402-1.28-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), MASHAERATOR BYPASS, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.28 GPF)		501.70
UP402-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT CONNECTION & MASHAERATOR BYPASS (1.6 GPF)		187.80
UP402-1.6-SC-T42-SH	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SMARTHANDEL (DUAL-FLUSH FEATURE), 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT CONNECTION & MASHAERATOR BYPASS (1.6/1.1 GPF)		200.80
UP402-1.6-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), MASHAERATOR BYPASS, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.6 GPF)		501.70
UP414-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ MASHAERATOR BYPASS, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.28 GPF)		204.40
UP414-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ MASHAERATOR BYPASS, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.6 GPF)		204.40
		ULTRA Plus - Exposed Urinals	
UP451-0.125-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT CONNECTION & MASHAERATOR BYPASS (0.125 GPF)		187.80
UP451-0.125-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), MASHAERATOR BYPASS, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (0.125 GPF)		501.70

Last Update: 1 July 2017 - Version 3.0

UP451-0.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (0.5 GPF)	187.80
UP451-0.5-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), MASHAERATOR BYPASS, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (0.5 GPF)	501.70
UP451-1-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	187.80
ULTRA Plus - Hospital Applications		
UP455-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD, SWEAT ADAPTOR KIT & MASHAERATOR BYPASS (1.6 GPF)	586.00
UP461-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD, SWEAT ADAPTOR KIT & MASHAERATOR BYPASS (1.6 GPF)	617.50
UP625-GJ-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, MASHAERATOR BYPASS, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF) **** OFF-SET INFORMATION REQUIRED ****	258.10
Diaphragm Style	Flushboy ULTRA - Exposed Water Closets	
U402-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.28 GPF)	181.70
U402-1.28-SC-T42-SM	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.28 GPF)	480.90
U402-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.6 GPF)	181.70
U402-1.6-SC-T42-SM	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.6 GPF)	495.90

Last Update: 1 July 2017 - Version 3.0

U402-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (3.5 GPF)	181.70
U402-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (4.5 GPF)	NLA
U414-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.28 GPF)	196.40
U414-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.6 GPF)	196.40
U414-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (3.5 GPF)	196.40
U414-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (4.5 GPF)	NLA
Flushboy ULTRA - Exposed Urinals		
U451-0.125-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (0.125 GPF)	181.70
U451-0.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (0.5 GPF)	181.70
U451-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.0 GPF)	181.70
U452-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (4.0 GPF)	NLA
U452-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.0 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

U452-1.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (1.5 GPF)	NLA
U452-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT CONNECTION (3.5 GPF)	NLA
Flushboy ULTRA - Hospital Applications		
U455-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
U455-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	551.30
U455-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	551.30
U461-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
U461-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	565.70
U461-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	565.70
U461-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	565.70
U625-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF) **** OFF-SET INFORMATION REQUIRED ****	250.00
Flushboy ULTRA - Exposed Eastern Squat Toilets		

Last Update: 1 July 2017 - Version 3.0

U474-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	225.80
U474-2.4-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (2.4 GPF)	NLA
U474-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	225.80
U479-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	236.30
U479-2.4-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	NLA
U479-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	236.30
Flushboy ULTRA - Concealed Eastern Squat Toilets		
U580-1.6-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	304.50
U580-2.4-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	304.50
U580-3-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	304.50

Last Update: 1 July 2017 - Version 3.0

Bedpan Diverters - Only		
971-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ OFFSET VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	588.10
977	BEDPAN DIVERTER, WALL SUPPORT, SPUD NUT & SPUD FLANGE (ONLY)	372.00
973-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	632.00
977-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	405.40
978-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	651.20
Piston Style Empire - Exposed Water Closets		
E402-1.1-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.1 GPF)	173.60
E402-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.28 GPF)	173.60
E402-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.6 GPF)	173.60
E402-2.4-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (2.4 GPF)	NLA
E414-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.28 GPF)	187.20
E414-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.6 GPF)	187.20
Piston Style Empire - Exposed Urinals		

Last Update: 1 July 2017 - Version 3.0

E451-0.125-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.125 GPF)	173.60
E451-0.5-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.5 GPF)	173.60
E451-1-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)	173.60
Empire - Hospital Application		
E455-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (34.375" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	523.70
E461-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT CONNECTION, 1.5" OFFSET FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	537.50
E463-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	507.50
Empire - Exposed Eastern Squat toilet		
E474-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.28 GPF)	225.80
E474-1.6-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (1.6 GPF)	225.80
E474-2.4-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (2.4 GPF)	NLA
E474-3-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (2.4 GPF)	225.80

Last Update: 1 July 2017 - Version 3.0

E479-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT(1.28 GPF)	236.30
E479-2.4-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (2.4 GPF)	NLA
E479-3-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTOR KIT (3.5 GPF)	236.30
Diaphragm Style	Flushboy - Exposed Water Closets	
F402-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	NLA
F402-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	183.80
F402-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	183.80
F404-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	NLA
F404-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (3.5 GPF)	219.30
F408-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	NLA
F410-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	188.70
F410-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	188.70
F410-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	188.70
F412-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF)	199.50

Last Update: 1 July 2017 - Version 3.0

F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
F414-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	198.20
F414-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	198.20
F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	198.20
F420-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
F420-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
F420-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	211.70
F420-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	211.70
F502-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (4.5 GPF)	NLA
F502-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (3.5 GPF)	200.10
F602-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	NLA
F602-1.28-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.28 GPF)	NLA
F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	219.60

Last Update: 1 July 2017 - Version 3.0

F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	219.60
F602-3-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (3.5 GPF)	219.60
F602-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	NLA
Flushboy - Exposed Urinals		
F451-0.5-GJ	EXPOSED FLUSHBOY VALVE for HIGHN EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	183.80
F451-1-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	183.80
F452-GJ	EXPOSED FLUSHBOY VALVE for URINALS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (4.0 GPF)	NLA
F452-1-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	NLA
F452-1.5-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	NLA
F452-3-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA
F453-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
Flushboy - Hospital Applications		
F418-GJ	EXPOSED FLUSHBOY VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT & 1.5" x 24" FLUSH CONNECTION (4.5 GPF)	198.20
F455-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

F455-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF)	NLA
F455-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	551.30
F455-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF)	551.30
F457-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	676.60
F458-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	968.70
F459-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977), SOLENOID OPERATED HYDRO-FLUSH VALVE EQUIPPED & ELECTRONIC PUSH BUTTON SWITCH, GROUND JOINT, DOUBLE ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	0.00
F460-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	920.60
F461-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	565.70
F461-1.28-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	NLA
F461-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	565.70
F461-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	565.70

Last Update: 1 July 2017 - Version 3.0

F463-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	534.10
F463-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	534.10
F463-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	534.10
F625-GJ	EXPOSED FLUSHBOY VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION w/ OFF-SET for 1.5" TOP SPUD (4.5 GPF) *** OFF-SET SIZE REQUIRED ***	250.00
Flushboy - Concealed Water Closets		
F533-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F533-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F533-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.6 GPF) *** WALL SIZE REQUIRED ***	210.00
F533-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (3.5 GPF) *** WALL SIZE REQUIRED ***	210.00
F534-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SZIE REQUIRED ****	NLA
F534-1.28-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SZIE REQUIRED ****	NLA
F534-1.6-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SZIE REQUIRED ****	218.60

Last Update: 1 July 2017 - Version 3.0

F534-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	218.60
F535-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F535-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F535-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	221.60
F535-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	221.60
F536-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F536-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F536-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	270.80
F536-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	270.80
F537-1.28-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F537-1.6-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	229.70

Last Update: 1 July 2017 - Version 3.0

F537-3-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	229.70
F537-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F538-GJ	CONCEALED FLUSHBOY SECURITY VALVE for IN-FLOOR DRAIN w/ PUSH BUTTON thru the WALL, GROUND JOINT, 1" FEMALE I.P. UNION OUTLET (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F540-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) ***WALL SIZE REQUIRED***	NLA
F540-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) ***WALL SIZE REQUIRED***	NLA
F540-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) ***WALL SIZE REQUIRED***	255.50
F542-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	311.40
F542-1.28-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F542-1.6-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
F542-3-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F543-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA

Last Update: 1 July 2017 - Version 3.0

F543-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F543-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.6 GPF) *** WALL SIZE REQUIRED ***	234.80
F543-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (3.5 GPF) *** WALL SIZE REQUIRED ***	234.80
F544-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	234.80
F545-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 11" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" EXPOSED TOP SPUD (1.0 GPF) **** WALL SIZE REQUIRED ****	365.00
F546-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZED REQUIRED ****	NLA
F546-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZED REQUIRED ****	NLA
F546-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZED REQUIRED ****	268.80
F546-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZED REQUIRED ****	268.80
Flushboy - Concealed Urinals		
F550-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for URINALS w/ GROUND JOINT& DOUBLE ELBOW FLUSH CONNECTION for 1.25" TOP SPUD (1.25 GPF) *** WALL SIZE REQUIRED ***	365.00

Last Update: 1 July 2017 - Version 3.0

F551-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINAL w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (1.0 GPF)	242.70
F568-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET & SINK COMBINED FIXTURE w/ PUSH BUTTON for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F569-GJ	CONCEALED FLUSHBOY SHOWER VALVE (Less SHOWER HEAD) **** WALL SZIE REQUIRED ****	NLA
F571-0.125-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
F571-0.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F571-1-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	222.90
F572-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (4.0 GPF) **** WALL SIZE REQUIRED ****	222.90
F572-0.125-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
F572-0.5-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F572-1-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	222.90
F572-1.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	222.90

Last Update: 1 July 2017 - Version 3.0

F573-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" EXPOSED BACK SPUD (4.0 GPF) *** WALL SIZE REQUIRED ***	212.20
Flushboy - Concealed Eastern Squat Toilets		
F580-1.6-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	NLA
F580-2.4-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	NLA
F580-3-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	NLA
Flushboy - Security Application - Water Closets		
F424-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET for SINK COMBINED FIXTURE w/ PUSH BUTTON, GROUND JOINT & 1.5" x 15" ELBOW FLUSH CONNECTION for CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	257.00
F448-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	183.80
F448-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
F448-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	183.80
F448-1.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	183.80
F529-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA

Last Update: 1 July 2017 - Version 3.0

F529-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F529-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	255.50
F529-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	255.50
F547-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	219.20
F547-1.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	219.20
F623-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION, ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF)	NLA
F623-1.28-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F623-1.6-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	234.30
F623-3-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	234.30
F901-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA

Last Update: 1 July 2017 - Version 3.0

F901-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
F901-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA
Flushboy - Security Application - Urinals		
F575-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
F575-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	182.60
F576-0.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) **** WALL SIZE REQUIRED ***	NLA
F576-1-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) **** WALL SIZE REQUIRED ***	229.80
Flushboy - Speciality Applications		
F651-0.125-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.125 GPF)	NLA
F651-0.5-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.5 GPF)	NLA
F651-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	219.60
F652-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	219.60

Last Update: 1 July 2017 - Version 3.0

F652-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.5 GPF)	NLA
F670-GJ	EXPOSED FLUSHBOY VALVE for RIM FLOOR DRAIN w/ 0.5" PUSH BUTTON in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION OUTLET w/ SUPPLY LINE on RIGHT SIDE (4.0 GPF)	317.40
F689-GJ	CONCEALED FLUSHBOY for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION & 1.5" TOP SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	656.30
Diaphragm Style	Presto - Water Closets	
P402-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	NLA
P402-1.6	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	182.60
P402-1.6-G-T42	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	182.60
P402-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	182.60
P402-3-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	182.60
P402	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	182.60
P402-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	182.60
P404	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	218.00
P405	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 13.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	223.00
P407	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 21.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	232.60

Last Update: 1 July 2017 - Version 3.0

P408	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	200.90
P410	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	187.40
P410-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	NLA
P410-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	187.40
P410-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	187.40
P412	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF)	198.20
P414	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P414-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
P414-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	197.10
P414-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	197.10
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	199.40
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	199.40
P578-1.6-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	208.50
P578-3-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	208.50

Last Update: 1 July 2017 - Version 3.0

Diaphragm Style	Presto - Urinals	
P451-0.5	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P451-1	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	182.60
P452	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	182.60
P452-1	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	182.60
P453	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	186.30
	Presto - Security Valves	
P439-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P439-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA
P439	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P441	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P441-1.28	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
P441-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P441-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

P448	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P448-0.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P448-1	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	NLA
P448-1.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	NLA
Presto - Hospital Applications		
P425	EXPOSED PRESTO VALVE for CLINICAL SERVICE SINK w/ 1.5" x 22.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	NLA
P455-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P455-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA
P455	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P457	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P458	CONCEALED PRESTO VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	NLA
P460	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P461-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

P461-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	NLA
P461	EXPOSED PRESTO VALVE for WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	NLA
P463-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P463-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA
P463	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
Battery Powered Retro-Fit	Pulsar - Retro-Fit Kits for Presto	
PL5005A	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (4.5 GPF)	NLA
PL5005A-1	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.0 GPF)	NLA
PL5005A-1.28	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.28 GPF)	NLA
PL5005A-1.6	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6 GPF)	NLA
PL5005A-1.6-DF	PULSAR V2.0 HANDS-FREE, SENSOR OPERATED, BATTERY POWERED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6/1.1 GPF)	NLA
PL5005A-3	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (3.5 GPF)	NLA

Hydraulically Activated

Piston Style	Empire Hydro-Flush - Concealed Water Closets	
E1233-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	256.50
E1233-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	256.50
E1234-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	256.50
E1234-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	256.50
E1240-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	365.20
E1240-1.6-SC-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	365.20
E1242-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	303.60

Last Update: 1 July 2017 - Version 3.0

E1242-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	303.60
E1246-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	269.30
E1246-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	269.30
Piston Style	Empire Hydro-Flush - Concealed Urinals	
E1247-1.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for URINAL, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	341.50
E1271-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	267.90
E1271-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	267.90
Piston Style	Empire Hydro-Flush - Security Applications	
E1201-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	345.10

Last Update: 1 July 2017 - Version 3.0

E1201-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	345.10
E1223-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	363.20
E1223-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	363.20
E1229-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	363.20
E1229-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	363.20
E1276-0.125-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	347.70
E1276-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	347.70
E1276-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	347.70
Piston Style	Empire Hydro-Flush - Specialty Applications	
E1238-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for FLUSH RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	256.60

Last Update: 1 July 2017 - Version 3.0

E1238-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for FLUSH RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	256.60
Diaphragm Style	Flushboy Hydro-Flush - Water Closets	
F1201-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F1201-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	363.20
F1201-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	363.20
F1201-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1202-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	NLA
F1202-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	NLA
F1202-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	NLA
F1202-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (4.5 GPF)	NLA
F1214-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

F1214-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	NLA
F1214-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	NLA
F1214-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (4.5 GPF)	NLA
F1218-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for CLINICAL SERVICE SINK w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
F1220-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	NLA
F1220-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	NLA
F1220-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	NLA
F1223-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F1223-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	382.30
F1223-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	382.30

Last Update: 1 July 2017 - Version 3.0

F1223-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1225-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 22.5" FLUSH CONNECTION w/ OFFSET for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF) *** SIZE of OFFSET REQUIRED ***	NLA
F1229-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F1229-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF) **** WALL SIZE REQUIRED ****	403.40
F1229-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	403.40
F1229-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1233-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F1233-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	270.10

Last Update: 1 July 2017 - Version 3.0

F1233-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZE REQUIRED ****	270.10
F1233-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1234-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F1234-1.6-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	317.90
F1234-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	294.40
F1234-3-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	317.90
F1234-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	294.40
F1234-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1238-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	270.10
F1238-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	270.10

Last Update: 1 July 2017 - Version 3.0

F1240-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	384.40
F1240-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	384.40
F1240-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1241-1.6-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	401.90
F1241-3-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	401.90
F1241-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
F1242-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F1242-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO- FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	319.50
F1242-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO- FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	319.50
F1242-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO- FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA

Last Update: 1 July 2017 - Version 3.0

F1246-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F1246-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	283.40
F1246-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	283.40
F1246-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1247-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	359.40
F1247-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	359.40
F1248-1.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.5 GPF)	401.90
F1248-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	401.90
F1251-0.125-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (0.125 GPF)	NLA
F1251-0.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (0.5 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

F1251-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	401.90
F1252-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	401.90
F1252-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	401.90
F1252-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	401.90
F1255-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (1.6 GPF)	940.30
F1255-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (3.5 GPF)	940.30
F1255-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
F1257-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (1.6 GPF)	1,020.20
F1257-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (3.5 GPF)	1,020.20
F1257-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (4.5 GPF)	NLA

Last Update: 1 July 2017 - Version 3.0

F1261-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (1.6 GPF)	975.60
F1261-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (3.5 GPF)	975.60
F1261-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (4.5 GPF)	NLA
F1263-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (1.6 GPF)	940.30
F1263-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (3.5 GPF)	940.30
F1263-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (4.5 GPF)	NLA
F1270-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for FLOOR DRAIN w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	496.40
F1271-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZE REQUIRED ****	NLA
F1271-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	NLA

Last Update: 1 July 2017 - Version 3.0

F1271-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	281.90
F1272-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZE REQUIRED ****	NLA
F1272-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1272-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) **** WALL SIZE REQUIRED ****	281.90
F1272-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	281.90
F1272-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	281.90
F1272-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1275-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURTIY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	401.90

Last Update: 1 July 2017 - Version 3.0

F1276-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
F1276-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1276-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	365.90
Rex - Water Closet & Urinals + Presto 577s		
R401-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	157.79
R401-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (1.6 GPF)	157.79
R401-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	157.79
R401-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	157.79
R401-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (3.5 GPF)	157.79
R401-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	157.79
R401-3-G-NF	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)	157.79

Last Update: 1 July 2017 - Version 3.0

R402	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	NLA
R402-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	160.00
R402-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	160.00
R402-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	160.00
R402-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	160.00
R402-1.6-NVB	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (1.6 GPF)	160.00
R402-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	160.00
R402-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	160.00
R402-3-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (3.5 GPF)	160.00
R402-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (4.5 GPF)	160.00
R403-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	176.80
R403-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	176.80



Last Update: 1 July 2017 - Version 3.0

R404-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	176.80
R404-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	176.80
R407-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	189.50
R407-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	189.50
R411-1.6-J-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)	157.79
R411-3-J-NF	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)	157.79
R412-1.6	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)	161.00
R412-3	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)	161.00
R414-1.6	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (1.6 GPF)	173.70
R414-3	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (3.5 GPF)	173.70
R451-0.5	EXPOSED REX VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (0.5 GPF)	162.22
R451-1	EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)	162.22

Last Update: 1 July 2017 - Version 3.0

R526-1.6-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) ...	148.90
R526-3-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) ...	148.90
R527-1.6-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF)...	151.11
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF)...	151.11
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF)...	151.11
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	208.90
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	208.90
P578-1.6-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	208.90
P578-3-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	208.90
HANDS-FREE Retro-Fit	Rex Valves	
PL5005A	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (4.5 GPF)	NLA
PL5005A-1	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.0 GPF)	NLA
PL5005A-1.28	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.28 GPF)	NLA



Last Update: 1 July 2017 - Version 3.0

PL5005A-1.6	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6 GPF)	NLA
PL5005A-1.6-DF	PULSAR V2.0 HANDS-FREE, SENSOR OPERATED, BATTERY POWERED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6/1.1 GPF)	NLA
PL5005A-3	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (3.5 GPF)	NLA
Suffix Letter	Valve Variation Descriptions	Added Charge
A	SCREWDRIVER OPERATED STOP	\$0.00
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	\$9.35
B	1/2" PUSHBUTTON	\$0.00
C	3" OSCILLATING DISC	\$21.30
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	\$37.50
EFE	ELECTRO-FLUSH EQUIPMENT	\$255.65
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	\$75.00
G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	\$0.00
GJ	GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH	\$0.00
GJ1	GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH	\$0.00
GJ2	GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH	\$0.00
H	FLUSH CONNECTION for 1.5" SPUD	\$0.00
J	CAP on STOP	\$0.00
K	1.5" FEMALE I.P. UNION OUTLET	\$64.35
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$57.95
L	ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DISC)	\$21.30
LCS	Less CONTROL STOP	(\$17.28)
LEC	Less ELBOW CONNECTION	(\$21.40)
LFC	Less FLUSH COMMECTION	\$0.00
LH	Less HANDLE ASSEMBLY	\$0.00
LHR	LEFT HAND ROUGH-IN (for TrueSense Valves)	\$0.00
LOGO	CUSTOMIZED COVER CAP for SABER	\$8.00

Last Update: 1 July 2017 - Version 3.0

LTP	LESS TRANSFORMER PLUG-IN	(\$10.50)
M	1.25" FEMALE I.P. UNION OUTLET	\$64.35
M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$57.95
NF	LESS SPUD NUT & SPUD FLANGE	\$0.00
NVB	LESS VACUUM BREAKER (deduct from price)	(\$8.84)
O	FLUSH CONNECTION for 1.25" SPUD	\$0.00
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	\$12.95
S	0.75" ANGLE STOP	\$0.00
SC	ADJUSTABLE JOINT CONNECTION ("SLIPFIT" CONNECTION)	\$0.00
SH	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	\$14.55
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	\$14.55
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	\$299.25
SQT8	1.5" x 36" x 8" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK IN	\$21.00
T4	FLUSH CONNECTION for 0.75" SPUD	\$0.00
T5	NON-HOLD-OPEN FEATURE	\$0.00
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	\$11.80
T7	COVERING TUBE (6" in LENGTH)	\$0.00
T9	VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	\$9.50
T26	0.5" ANGLE STOP	\$0.00
T27	0.75" STRAIGHT STOP	\$0.00
T28	OSCILLATING HANDLE	\$0.00
T32	0.75" FEMALE I.P. UNION OUTLET	\$22.60
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$20.45
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	\$22.90
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	\$22.90
T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$40.95
T36-8	1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$50.75
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	\$48.60
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	\$0.00

Last Update: 1 July 2017 - Version 3.0

T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	\$0.00
T45	1" FEMALE I.P. UNION OUTLET	\$40.60
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$36.65
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$65.10
T46-8	1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$71.40
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	\$0.00
T98	LOW PRESSURE EQUIPMENT	\$15.55
T106	MASHAERATOR - SELF CLEANING BYPASS	\$7.70
TMO	TRUE MECHANICAL OVERRIDE BUTTON	\$31.50
VPS	VANDAL PROOF VERSION of CONTROL STOP	\$0.00
W	1" ANGLE STOP	\$0.00
X	1.25" STRAIGHT STOP	\$25.40
Y	1" STRAIGHT STOP	\$18.05
Z	1.25" ANGLE STOP	\$24.40