



Last Update: 1 April 2013 - Version 2.4

Model #	Valve Description	List Price
971-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ OFFSET VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	387.10
977	BEDPAN DIVERTER, WALL SUPPORT, SPUD NUT & SPUD FLANGE (ONLY)	349.50
973-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	378.20
977-1	BEDPAN DIVERTER w/ DEOSEPTIC BOTTLE, WALL SUPPORT, SPUD NUT & SPUD FLANGE	451.70
977-1-VB	BEDPAN DIVERTER w/ VACUUM BREAKER ASSEMBLY & DEOSEPTIC BOTTLE, WALL SUPPORT, SPUD NUT & SPUD FLANGE	500.90
977-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	380.80
978-1-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASEEMBLY & DEOSPETIC BOTTLE for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	514.50



Last Update: 1 April 2013 - Version 2.4

978-VB	BEDPAN DIVERter VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	389.70
E1201-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	328.70
E1201-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	328.70
E1223-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	345.90
E1223-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	345.90
E1229-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	345.90
E1229-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	345.90
E1233-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	244.40



Last Update: 1 April 2013 - Version 2.4

E1233-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	244.40
E1234-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	244.40
E1234-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	244.40
E1238-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	244.40
E1238-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	244.40
E1240-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	347.80
E1240-1.6-SC-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	347.80
E1242-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	289.10



Last Update: 1 April 2013 - Version 2.4

E1242-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for WATER CLOSET, PISTION OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	289.10
E1246-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	256.50
E1246-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	256.50
E1247-1.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for URINAL, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	325.20
E1271-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	255.10
E1271-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	255.10
E1276-0.125-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFT CONNECTION & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	331.10
E1276-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFT CONNECTION & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	331.10



Last Update: 1 April 2013 - Version 2.4

E1276-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	331.10
E402-1.28-SC	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.28 GPF)	165.30
E402-1.1-SC	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.1 GPF)	165.30
E402-1.1-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.1 GPF)	165.30
E402-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.28 GPF)	165.30
E402-1.6-SC	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.6 GPF)	165.30
E402-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.6 GPF)	165.30
E402-2.4-SC	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (2.4 GPF)	165.30



Last Update: 1 April 2013 - Version 2.4

E402-2.4-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (2.4 GPF)	165.30
E414-1.28-SC	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.28 GPF)	178.40
E414-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.28 GPF)	178.40
E414-1.6-SC	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.6 GPF)	178.40
E414-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.6 GPF)	178.40
E451-0.125-SC	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (0.125 GPF)	165.30
E451-0.125-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.125 GPF)	165.30
E451-0.5-SC	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (0.5 GPF)	165.30



Last Update: 1 April 2013 - Version 2.4

E451-0.5-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.5 GPF)	165.30
E451-1-SC	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.0 GPF)	165.30
E451-1-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)	165.30
E455-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (34.375" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.28 GPF)	498.80
E455-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (34.375" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	498.80
E461-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" OFFSET FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.28 GPF)	511.90
E461-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" OFFSET FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	511.90
E463-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.28 GPF)	483.30



Last Update: 1 April 2013 - Version 2.4

E463-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	483.30
E474-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (1.28 GPF)	215.00
E474-1.6-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	215.00
E474-2.4-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (2.4 GPF)	215.00
E474-3-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (2.4 GPF)	215.00
E479-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT(1.28 GPF)	225.00
E479-2.4-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (2.4 GPF)	225.00
E479-3-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for TOP SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	225.00





Last Update: 1 April 2013 - Version 2.4

E575-0.125-SC	EXPOSED EMPIRE SECURITY VALVE for URINALS, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SLIPFIT TAILPIECE (0.125 GPF)	165.30
E575-0.5-SC	EXPOSED EMPIRE SECURITY VALVE for URINALS, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SLIPFIT TAILPIECE (0.5 GPF)	165.30
E575-1-SC	EXPOSED EMPIRE SECURITY VALVE for URINALS, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SLIPFIT TAILPIECE (1.0 GPF)	165.30
F1201-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	345.90
F1201-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	345.90
F1201-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	345.90
F1201-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	345.90
F1202-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	382.80



Last Update: 1 April 2013 - Version 2.4

F1202-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	382.80
F1202-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	382.80
F1202-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (4.5 GPF)	382.80
F1214-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	392.60
F1214-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	392.60
F1214-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	392.60
F1214-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 22.5" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (4.5 GPF)	392.60
F1218-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for CLINICAL SERVICE SINK w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & SWEAT ADAPTOR KIT (4.5 GPF)	410.80



Last Update: 1 April 2013 - Version 2.4

F1220-1.28-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.28 GPF)	420.60
F1220-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (1.6 GPF)	420.60
F1220-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 33" FLUSH CONNECTION for TOP SPUD, GROUND JOINT & SWEAT ADAPTOR (3.5 GPF)	420.60
F1223-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	364.10
F1223-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	364.10
F1223-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	364.10
F1223-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	364.10
F1225-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 22.5" FLUSH CONNECTION w/ OFFSET for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF) *** SIZE of OFFSET REQUIRED ***	442.80



Last Update: 1 April 2013 - Version 2.4

F1229-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.28 GPF) **** WALL SIZE REQUIRED ****	384.20
F1229-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF) **** WALL SIZE REQUIRED ****	384.20
F1229-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	384.20
F1229-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	384.20
F1233-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	257.20
F1233-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	257.20
F1233-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZE REQUIRED ****	257.20
F1233-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTOR. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZE REQUIRED ****	257.20

Last Update: 1 April 2013 - Version 2.4

F1234-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	280.40
F1234-1.6-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	300.70
F1234-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	280.40
F1234-3-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	300.70
F1234-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	280.40
F1234-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	280.40
F1238-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	257.20
F1238-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	257.20



Last Update: 1 April 2013 - Version 2.4

F1240-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	366.10
F1240-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	366.10
F1240-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	366.10
F1241-1.6-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	382.80
F1241-3-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	382.80
F1241-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	382.80
F1242-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	304.30
F1242-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	304.30



Last Update: 1 April 2013 - Version 2.4

F1242-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	304.30
F1242-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	304.30
F1246-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	269.90
F1246-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	269.90
F1246-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	269.90
F1246-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	269.90
F1247-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	342.30
F1247-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	342.30



Last Update: 1 April 2013 - Version 2.4

F1248-1.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.5 GPF)	382.80
F1248-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	382.80
F1251-0.125-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (0.125 GPF)	382.80
F1251-0.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (0.5 GPF)	382.80
F1251-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	382.80
F1252-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	382.80
F1252-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	382.80
F1252-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	382.80





Last Update: 1 April 2013 - Version 2.4

F1255-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (1.6 GPF)	895.50
F1255-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (3.5 GPF)	895.50
F1255-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (4.5 GPF)	895.50
F1256-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, DEOSEPTIC BOTTLE, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (1.6 GPF)	1,029.80
F1256-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, DEOSEPTIC BOTTLE, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (3.5 GPF)	1,029.80
F1256-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, DEOSEPTIC BOTTLE, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (4.5 GPF)	1,029.80
F1257-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (1.6 GPF)	971.60
F1257-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (3.5 GPF)	971.60



Last Update: 1 April 2013 - Version 2.4

F1257-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT, SOLID RING PIPE SUPPORT for SUPPLY PIPE & SWEAT ADAPTOR KIT (4.5 GPF)	971.60
F1261-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (1.6 GPF)	929.10
F1261-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (3.5 GPF)	929.10
F1261-GJ-T42	EXPOSED HYDRO-FLUSH VALVE w/ BEDPAN DIVERter VALVE for WATER CLOSETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, OFFSET FLUSH CONNECTION, 1.5" TOP SPUD, WALL SUPPORT, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (for ADA HANDICAPPED) (4.5 GPF)	929.10
F1263-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (1.6 GPF)	895.50
F1263-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (3.5 GPF)	895.50
F1263-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for WATER CLOSET w/ BEDPAN DIVERter, PUSH BUTTON HYDRO-FLUSH ACTUATOR for 1.5" TOP SPUD, GROUND JOINT TAILPIECE, WALL SUPPORT & SWEAT ADAPTOR KIT (4.5 GPF)	895.50
F1270-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for FLOOR DRAIN w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	472.80



Last Update: 1 April 2013 - Version 2.4

F1271-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZE REQUIRED ****	268.50
F1271-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	268.50
F1271-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	268.50
F1272-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZE REQUIRED ****	268.50
F1272-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZE REQUIRED ****	268.50
F1272-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) **** WALL SIZE REQUIRED ****	268.50
F1272-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZE REQUIRED ****	268.50
F1272-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	268.50



Last Update: 1 April 2013 - Version 2.4

F1272-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) ***** WALL SIZE REQUIRED *****	268.50
F1275-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	382.80
F1276-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	348.50
F1276-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	348.50
F1276-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	348.50
F402-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	175.00
F402-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	175.00
F402-1.28-GJ-T42	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	175.00



Last Update: 1 April 2013 - Version 2.4

F402-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	175.00
F402-1.6-GJ-T42	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTER KIT (1.6 GPF)	175.00
F402-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	175.00
F404-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	208.90
F404-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (3.5 GPF)	208.90
F405-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 13.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	208.90
F407-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 21.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	222.90
F408-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	192.40



Last Update: 1 April 2013 - Version 2.4

F410-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	179.70
F410-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	179.70
F410-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	179.70
F412-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF)	190.00
F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	188.80
F414-1.28-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	188.80
F414-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	188.80
F414-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	188.80



Last Update: 1 April 2013 - Version 2.4

F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	188.80
F418-GJ	EXPOSED FLUSHBOY VALVE w/ GROUND JOINT for use w/ CLINICAL SERVICE SINK (4.5 GPF)	188.80
F420-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	201.60
F420-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	201.60
F420-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	201.60
F420-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	201.60
F424-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET for SINK COMBINED FIXTURE w/ PUSH BUTTON, GROUND JOINT & 1.5" x 15" ELBOW FLUSH CONNECTION for CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	244.80
F439-GJ	EXPOSED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	175.00



Last Update: 1 April 2013 - Version 2.4

F439-1.28-GJ	EXPOSED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	175.00
F439-1.6-GJ	EXPOSED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	175.00
F439-3-GJ	EXPOSED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	175.00
F441-GJ	EXPOSED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	175.00
F441-1.28-GJ	EXPOSED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	175.00
F441-1.6-GJ	EXPOSED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	175.00
F441-3-GJ	EXPOSED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	175.00
F448-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	175.00





Last Update: 1 April 2013 - Version 2.4

F448-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	175.00
F448-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	175.00
F448-1.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	175.00
F451-0.125-GJ-T42	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF)	175.00
F451-0.5-GJ	EXPOSED FLUSHBOY VALVE for HIGHN EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	175.00
F451-1-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	175.00
F452-GJ	EXPOSED FLUSHBOY VALVE for URINALS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (4.0 GPF)	175.00
F452-1-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	175.00



Last Update: 1 April 2013 - Version 2.4

F452-1.5-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	175.00
F452-3-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	175.00
F453-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	178.50
F455-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	525.00
F455-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	525.00
F455-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	525.00
F455-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	525.00
F456-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	702.50



Last Update: 1 April 2013 - Version 2.4

F456-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	702.50
F456-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	702.50
F457-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	644.40
F457-1-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	644.40
F458-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	922.60
F458-1-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,056.90
F459-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977), SOLENOID OPERATED HYDRO-FLUSH VALVE EQUIPPED & ELECTRONIC PUSH BUTTON SWITCH, GROUND JOINT, DOUBLE ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,134.00
F459-1-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), SOLENOID OPERATED HYDRO-FLUSH VALVE EQUIPPED & ELECTRONIC PUSH BUTTON SWITCH, GROUND JOINT, DOUBLE ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,134.00



Last Update: 1 April 2013 - Version 2.4

F460-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	876.80
F460-1-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF) ***** NO LONGER AVAILABLE *****	1,020.50
F461-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	538.80
F461-1.28-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	538.80
F461-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	538.80
F461-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	538.80
F463-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	508.70
F463-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	508.70



Last Update: 1 April 2013 - Version 2.4

F463-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	508.70
F481-GJ	EXPOSED FLUSHBOY VALVE for URINALS w/ GROUND JOINT, FOOT PEDAL & FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF) ***** NO LONGER AVAILABLE *****	532.50
F488-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT, FOOT PEDAL & FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF) ***** NO LONGER AVAILABLE *****	616.60
F496-GJ	EXPOSED FLUSHBOY VALVE for URINALS w/ GROUND JOINT, FOOT PEDAL & FLUSH CONNECTION for 0.75" BACK SPUD (4.5 GPF) ***** NO LONGER AVAILABLE *****	616.60
F502-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (4.5 GPF)	190.60
F502-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (3.5 GPF)	190.60
F529-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	243.30
F529-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	243.30



Last Update: 1 April 2013 - Version 2.4

F529-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	243.30
F529-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	243.30
F530-GJ	EXPOSED FLUSHBOY SHOWER VALVE (0.5 GPF)	206.30
F533-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (4.5 GPF) *** WALL SIZE REQUIRED ***	200.00
F533-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.28 GPF) *** WALL SIZE REQUIRED ***	200.00
F533-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.6 GPF) *** WALL SIZE REQUIRED ***	200.00
F533-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (3.5 GPF) *** WALL SIZE REQUIRED ***	200.00
F534-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SZIE REQUIRED ****	208.20



Last Update: 1 April 2013 - Version 2.4

F534-1.28-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SZIE REQUIRED ****	208.20
F534-1.6-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SZIE REQUIRED ****	208.20
F534-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	208.20
F535-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	211.00
F535-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	211.00
F535-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	211.00
F535-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	211.00
F536-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	257.90



Last Update: 1 April 2013 - Version 2.4

F536-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	257.90
F536-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	257.90
F536-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	257.90
F537-1.28-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	218.80
F537-1.6-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	218.80
F537-3-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	218.80
F537-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	218.80
F538-GJ	CONCEALED FLUSHBOY SECURITY VALVE for IN-FLOOR DRAIN w/ PUSH BUTTON thru the WALL, GROUND JOINT, 1" FEMALE I.P. UNION OUTLET (4.5 GPF) *** WALL SIZE REQUIRED ***	200.00





Last Update: 1 April 2013 - Version 2.4

F540-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON, GROUND JONT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) ***WALL SIZE REQUIRED***	243.30
F540-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON, GROUND JONT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) ***WALL SIZE REQUIRED***	243.30
F540-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) ***WALL SIZE REQUIRED***	243.30
F542-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	296.60
F542-1.28-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (1.28 GPF) *** WALL SIZE REQUIRED ***	296.60
F542-1.6-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (1.6 GPF) *** WALL SIZE REQUIRED ***	296.60
F542-3-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (3.5 GPF) *** WALL SIZE REQUIRED ***	296.60
F543-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	223.60



Last Update: 1 April 2013 - Version 2.4

F543-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.28 GPF) *** WALL SIZE REQUIRED ***	223.60
F543-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.6 GPF) *** WALL SIZE REQUIRED ***	223.60
F543-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (3.5 GPF) *** WALL SIZE REQUIRED ***	223.60
F544-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	223.60
F545-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 11" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" EXPOSED TOP SPUD (1.0 GPF) **** WALL SIZE REQUIRED ****	347.60
F546-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZED REQUIRED ****	256.00
F546-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZED REQUIRED ****	256.00
F546-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZED REQUIRED ****	256.00



Last Update: 1 April 2013 - Version 2.4

F546-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZED REQUIRED ****	256.00
F547-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	208.80
F547-1.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	208.80
F550-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for URINALS w/ GROUND JOINT& DOUBLE ELBOW FLUSH CONNECTION for 1.25" TOP SPUD (1.25 GPF) *** WALL SIZE REQUIRED ***	347.60
F551-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINAL w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (1.0 GPF)	210.90
F568-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET & SINK COMBINED FIXTURE w/ PUSH BUTTON for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	243.30
F569-GJ	CONCEALED FLUSHBOY SHOWER VALVE (Less SHOWER HEAD) **** WALL SZIE REQUIRED ****	268.40
F571-0.125-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	212.30



Last Update: 1 April 2013 - Version 2.4

F571-0.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	212.30
F571-1-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	212.30
F572-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (4.0 GPF) **** WALL SIZE REQUIRED ****	202.10
F572-0.125-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	202.10
F572-0.5-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	202.10
F572-1-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	202.10
F572-1.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	202.10
F573-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" EXPOSED BACK SPUD (4.0 GPF) *** WALL SIZE REQUIRED ***	202.10



Last Update: 1 April 2013 - Version 2.4

F575-0.125-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.125 GPF)	173.90
F575-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	173.90
F575-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	173.90
F576-0.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) **** WALL SIZE REQUIRED ***	218.90
F576-1-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) **** WALL SIZE REQUIRED ***	218.90
F580-1.6-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00
F580-2.4-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00
F580-3-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00



Last Update: 1 April 2013 - Version 2.4

F602-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	190.60
F602-1.28-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.28 GPF)	207.40
F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	207.40
F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	207.40
F602-3-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (3.5 GPF)	207.40
F602-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	207.40
F623-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION, ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF)	223.10
F623-1.28-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	223.10



Last Update: 1 April 2013 - Version 2.4

F623-1.6-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	207.40
F623-3-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	207.40
F625-GJ	EXPOSED FLUSHBOY VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION w/ OFF-SET for 1.5" TOP SPUD (4.5 GPF) *** OFF-SET SIZE REQUIRED ***	238.10
F632-GJ	EXPOSED FLUSHBOY SHOWER VALVE (0.5 GPF)	237.80
F651-0.125-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.125 GPF)	207.40
F651-0.5-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.5 GPF)	207.40
F651-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	207.40
F652-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	207.40



Last Update: 1 April 2013 - Version 2.4

F652-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.5 GPF)	207.40
F670-GJ	EXPOSED FLUSHBOY VALVE for RIM FLOOR DRAIN w/ 0.5" PUSH BUTTON in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION OUTLET w/ SUPPLY LINE on RIGHT SIDE (4.0 GPF)	245.10
F689-GJ	CONCEALED FLUSHBOY for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION & 1.5" TOP SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	625.00
F690-GJ	CONCEALED FLUSHBOY for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	573.90
F691-GJ	CONCEALED FLUSHBOY for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION for 1.5" EXPOSED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	504.50
F693-GJ	CONCEALED FLUSHBOY For URINALS w/ OSCILLATING FOOTPEDAL, ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF) *** WALL SIZED REQUIRED ***	573.90
F694-GJ	DELANY FLUSHBOY FOOTPEDAL VLV.	573.90
F695-GJ	DELANY FLUSHBOY FOOTPEDAL VLV.	573.90





Last Update: 1 April 2013 - Version 2.4

F901-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	243.30
F901-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	243.30
F901-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	243.30
P402	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	173.90
P402-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	173.90
P402-1.6	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	173.90
P402-1.6-G-T42	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	173.90
P402-1.6-T42	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	173.90



Last Update: 1 April 2013 - Version 2.4

P402-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	173.90
P402-3-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	173.90
P402-3-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	173.90
P402-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	173.90
P402-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTOR KIT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	173.90
P404	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	207.60
P405	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 13.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	212.40
P407	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 21.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	221.50



Last Update: 1 April 2013 - Version 2.4

P408	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	191.30
P410	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	178.50
P410-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	178.50
P410-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	178.50
P410-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	178.50
P412	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF)	188.80
P414	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	187.70
P414-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	187.70



Last Update: 1 April 2013 - Version 2.4

P414-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	187.70
P414-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	187.70
P418	EXPOSED PRESTO VALVE w/ GROUND JOINT for use w/ CLINICAL SERVICE SINK (4.5 GPF)	187.70
P420	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	200.40
P420-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	200.40
P420-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	200.40
P420-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	200.40
P424	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET for SINK COMBINED FIXTURE w/ PUSH BUTTON, GROUND JOINT & 1.5" x 15" ELBOW FLUSH CONNECTION for CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	243.30



Last Update: 1 April 2013 - Version 2.4

P439	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	173.90
P439-1.28	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY TIOLETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	173.90
P439-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	173.90
P439-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	173.90
P441	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	173.90
P441-1.28	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	173.90
P441-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	173.90
P441-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	173.90



Last Update: 1 April 2013 - Version 2.4

P448	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	173.90
P448-0.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	173.90
P448-1	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	173.90
P448-1.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	173.90
P451-0.125	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.125 GPF)	173.90
P451-0.5	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	173.90
P451-1	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	173.90
P452	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (4.0 GPF)	173.90



Last Update: 1 April 2013 - Version 2.4

P452-0.125	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (0.125 GPF)	173.90
P452-0.5	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	173.90
P452-1	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	173.90
P452-1.5	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	173.90
P453	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	177.40
P455	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	524.90
P455-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	524.90
P455-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	524.90



Last Update: 1 April 2013 - Version 2.4

P456	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	702.50
P456-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	702.50
P456-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	702.50
P457	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	644.40
P457-1	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT, CHROME PLATED 1" I.P.S. ELBOW, PIPE SUPPORT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	644.40
P458	CONCEALED PRESTO VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	922.60
P458-1	CONCEALED PRESTO VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERter & DEOSPETIC BOTTLE (#977-1), GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,056.90
P459	CONCEALED PRESTO VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERter (#977), SOLENOID OPERATED HYDRO-FLUSH VALVE EQUIPPED & ELECTRONIC PUSH BUTTON SWITCH, GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,134.00





Last Update: 1 April 2013 - Version 2.4

P459-1	CONCEALED PRESTO VALVE in ROUGH BRASS for WATER CLOSET w/ BEDPAN DIVERTER (#977) & DEOSPETIC BOTTLE, SOLENOID OPERATED HYDRO-FLUSH VALVE EQUIPPED & ELECTRONIC PUSH BUTTON SWITCH, GROUND JOINT, DOUBLE.ELBOW for 1.5" FLUSH CONNECTION & TOP SPUD (4.5 GPF)	1,134.00
P460	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	979.40
P460-1	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER & DEOSPETIC BOTTLE (#977-1), GROUND JOINT w/ 1' STRAIGHT STOP, OSCILLATING FOOT PEDAL, 1.25" FEMALE I.P. UNION OUTLET & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	979.40
P461	EXPOSED PRESTO VALVE for WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	601.80
P461-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	601.80
P461-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	601.80
P463	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	568.20
P463-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	568.20



Last Update: 1 April 2013 - Version 2.4

P463-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	568.20
P465	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURES (4.5 GPF)	179.10
P481	DELANY PRESTO FOOTPEDAL VLV.	532.50
P488	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, FOOT PEDAL & FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	616.60
P496	EXPOSED PRESTO VALVE for URINALS w/ GROUND JOINT, FOOT PEDAL & FLUSH CONNECTION for 0.75" BACK SPUD (4.5 GPF)	616.60
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	194.80
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	194.80
P578-1.6-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	194.80



Last Update: 1 April 2013 - Version 2.4

P578-3-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	194.80
PL1402-1.1-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.1 GPF)	552.10
PL1402-1.1-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.1 GPF)	552.10
PL1402-1.28-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.28 GPF)	552.10
PL1402-1.28-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.28 GPF)	552.10
PL1402-1.6-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.6 GPF)	552.10
PL1402-1.6-GJ-T42-DF	EXPOSED PULSAR V2.0 VALVE for WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL FLUSH) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TRAP PRIMER in FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON & SWEAT ADAPTOR KIT (1.6 GPF)	567.00
PL1402-1.6-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.6 GPF)	552.10

Last Update: 1 April 2013 - Version 2.4

PL1402-1.6-SC-T42-DF	EXPOSED PULSAR V2.0 VALVE for WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL FLUSH) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.6 GPF)	567.00
PL1402-3-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON & SWEAT ADAPTOR KIT (3.5 GPF)	552.10
PL1402-3-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON & SWEAT ADAPTOR KIT (3.5 GPF)	552.10
PL1451-0.125-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.125 GPF)	552.10
PL1451-0.125-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.125 GPF)	552.10
PL1451-0.5-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)	552.10
PL1451-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)	552.10
PL1451-1-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.0 GPF)	552.10



Last Update: 1 April 2013 - Version 2.4

PL1451-1-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1 GPF)	552.10
PL1452-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)	552.10
PL1452-1-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.0 GPF)	552.10
PL1452-1.5-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1 GPF)	552.10
PL1455-1.6-SC-T42	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	889.50
PL3003A	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (4.5 GPF)	425.00
PL3003A-0.125	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY URINAL VALVES (0.125 GPF)	425.00
PL3003A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY URINAL VALVES (0.5 GPF)	425.00



Last Update: 1 April 2013 - Version 2.4

PL3003A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (1.0 GPF)	425.00
PL3003A-1.28	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (1.28 GPF)	425.00
PL3003A-1.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (1.5 GPF)	425.00
PL3003A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.6 GPF)	425.00
PL3003A-1.6-DF	PULSAR V2.0 HANDS-FREE BATTERY POWERED, SENSOR OPERATED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.6 GPF)	454.70
PL3003A-3	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF)	425.00
PL4004A	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (4.5 GPF) *** ONLY COMPATIBLE FOR VALVES MADE BEFORE 2005 ***	425.00
PL4004A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN URINAL VALVES (0.5 GPF) *** ONLY COMPATIBLE FOR VALVES MADE BEFORE 2005 ***	425.00



Last Update: 1 April 2013 - Version 2.4

PL4004A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN URINAL VALVES (1.0 GPF) *** ONLY COMPATIBLE FOR VALVES MADE BEFORE 2005 ***	425.00
PL4004A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (1.6 GPF) *** ONLY COMPATIBLE FOR VALVES MADE BEFORE 2005 ***	425.00
PL4004A-3	IMPULSE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (3.5 GPF) *** ONLY COMPATIBLE FOR VALVES MADE BEFORE 2005 ***	425.00
PL5005A	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (4.5 GPF)	425.00
PL5005A-1	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.0 GPF)	425.00
PL5005A-1.28	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.28 GPF)	425.00
PL5005A-1.6	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6 GPF)	425.00
PL5005A-1.6-DF	PULSAR V2.0 HANDS-FREE, SENSOR OPERATED, BATTERY POWERED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6 GPF)	454.70



Last Update: 1 April 2013 - Version 2.4

PL5005A-3	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (3.5 GPF)	425.00
R401-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	151.10
R401-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (1.6 GPF)	151.10
R401-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	151.10
R401-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	151.10
R401-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (3.5 GPF)	151.10
R401-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	151.10
R401-3-G-NF	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)	151.10





Last Update: 1 April 2013 - Version 2.4

R402	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	153.33
R402-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	153.33
R402-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	153.33
R402-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	153.33
R402-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	153.33
R402-1.6-NVB	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (1.6 GPF)	153.33
R402-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	153.33
R402-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	153.33



Last Update: 1 April 2013 - Version 2.4

R402-3-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (3.5 GPF)	153.33
R402-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (4.5 GPF)	153.33
R403-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	168.41
R403-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	168.41
R404-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	168.41
R404-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	168.41
R407-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	180.46
R407-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	180.46



Last Update: 1 April 2013 - Version 2.4

R411-1.6-J-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)	151.10
R411-3-J-NF	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)	151.10
R412-1.6	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)	153.37
R412-3	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)	153.37
R414-1.6	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (1.6 GPF)	165.42
R414-3	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (3.5 GPF)	165.42
R451-0.5	EXPOSED REX VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (0.5 GPF)	153.33
R451-1	EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)	153.33

Last Update: 1 April 2013 - Version 2.4

R526-1.6-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) ...	141.32
R526-3-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) ...	141.32
R527-1.6-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF...)	144.45
R527-1.6-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF...)	144.45
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF...)	144.45
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF...)	144.45
S402-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (4.5 GPF)	183.00
S402-1.1-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.1 GPF)	183.00



Last Update: 1 April 2013 - Version 2.4

S402-1.1-SC-LCS	EXPOSED SABER VALVE for WATER CLOSET w/ "1.5 x 9" FLUSH CONNECTION, MASHAERATOR BYPASS Less CONTROL STOP (1.1 GPF)	140.20
S402-1.1-SC-VO	EXPOSED SABER VALVE for WATER CLOSET for SLIPFIT CONNECTION - VALVE ASSEMBLY ONLY (1.1 GPF)	140.20
S402-1.28-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)	183.00
S402-1.28-SC-T42-SH	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & DUAL-FLUSH SMARTHANDLE (1.28 GPF)	196.90
S402-1.28-SC-T42-SM	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.28 GPF)	468.00
S402-1.28-SC-LCS	EXPOSED SABER VALVE for WATER CLOSET w/ "1.5 x 9" FLUSH CONNECTION, MASHAERATOR BYPASS Less CONTROL STOP (1.28 GPF)	160.00
S402-1.28-SC-VO	EXPOSED SABER VALVE for WATER CLOSET - VALVE ASSEMBLY ONLY (1.28 GPF)	150.00
S402-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.6 GPF)	183.00



Last Update: 1 April 2013 - Version 2.4

S402-1.6-SC-T42-SH	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & DUAL-FLUSH SMARTHANDLE (1.6 GPF)	196.90
S402-1.6-SC-T42-SM	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.6 GPF)	468.00
S402-1.6-SC-LCS	EXPOSED SABER VALVE for WATER CLOSET w/ "1.5 x 9" FLUSH CONNECTION, MASHAERATOR BYPASS Less CONTROL STOP (1.6 GPF)	160.00
S402-1.6-SC-VO	EXPOSED SABER VALVE for WATER CLOSET for SLIPFIT CONNECTION - VALVE ASSEMBLY ONLY (1.6 GPF)	150.00
S402-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (3.5 GPF)	183.00
S402-3-SC-LCS	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, "1.5 x 9" FLUSH CONNECTION, MASHAERATOR BYPASS Less CONTROL STOP (3.5 GPF)	160.00
S402-3-SC-VO	EXPOSED SABER VALVE for WATER CLOSET - VALVE ASSEMBLY ONLY (3.5 GPF)	150.00
S402-SC-LCS	EXPOSED SABER VALVE for WATER CLOSET w/ "1.5 x 9" FLUSH CONNECTION, MASHAERATOR BYPASS Less CONTROL STOP (4.5 GPF)	160.00



Last Update: 1 April 2013 - Version 2.4

S402-SC-VO	EXPOSED SABER VALVE for WATER CLOSET - VALVE ASSEMBLY ONLY (4.5 GPF)	150.00
S414-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	196.00
S414-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	196.00
S414-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	196.00
S414-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	196.00
S451-0.125-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	183.00
S451-0.125-SC-LCS	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & MASHAERATOR BYPASS Less CONTROL STOP (0.125 GPF)	160.00
S451-0.125-SC-VO	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL for SLIPFIT CONNECTION - BODY ASSEMBLY ONLY (0.125 GPF)	150.00



Last Update: 1 April 2013 - Version 2.4

S451-0.5-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.5 GPF)	183.00
S451-0.5-SC-LCS	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & MASHAERATOR BYPASS Less CONTROL STOP (0.5 GPF)	160.00
S451-0.5-SC-VO	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL for SLIPFIT CONNECTION - BODY ASSEMBLY ONLY (0.5 GPF)	150.00
S451-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	183.00
S451-1-SC-LCS	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & MASHAERATOR BYPASS Less CONTROL STOP (1.0 GPF)	160.00
S451-1-SC-VO	EXPOSED SABER VALVE for URINAL for SLIPFIT CONNECTION - BODY ASSEMBLY ONLY (1.0 GPF)	150.00
S452-SC-T42	EXPOSED SABER VALVE for w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.5 GPF)	183.00
S452-SC-LCS	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & MASHAERATOR BYPASS Less CONTROL STOP (1.5 GPF)	160.00





Last Update: 1 April 2013 - Version 2.4

S452-SC-VO	EXPOSED SABER VALVE for URINAL for SLIPFIT CONNECTION - BODY ASSEMBLY ONLY (1.5 GPF)	150.00
S452-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.0 GPF)	183.00
S452-1-SC-LCS	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & MASHAERATOR BYPASS Less CONTROL STOP (1.0 GPF)	160.00
S452-1-SC-VO	EXPOSED SABER VALVE for URINAL for SLIPFIT CONNECTION - BODY ASSEMBLY ONLY (1.0 GPF)	150.00
S455-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	575.70
S455-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	575.70
S455-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	575.70
S461-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	590.40



Last Update: 1 April 2013 - Version 2.4

S461-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	590.40
S461-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	590.40
S461-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	590.40
S474-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	240.00
S474-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	240.00
S474-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	240.00
S479-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.28 GPF)	250.00
S479-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.6 GPF)	250.00



Last Update: 1 April 2013 - Version 2.4

S479-2.4-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (2.4 GPF)	250.00
S479-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (3.5 GPF)	250.00
SA6007A	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL DELANY EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	285.00
SA6007A-SZ	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL SLOAN & ZURN EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	285.00
SF1530-E	INFINITE SERIS - SURICAL SCRUB SINK - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED BY ELECTICAL CONNECTION 9V TRANSFOMER	630.00
SF1540-B	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	500.00
SF1540-E	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTICAL CONNECTION 9V TRANSFOMER	500.00
SF1591-B	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	590.00



Last Update: 1 April 2013 - Version 2.4

SF1591-E	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFOMER	590.00
SF1593	INFINITE SERIES LAVATORY SENSOR FAUCET w/ INTERNAL 9V BATTERY and SOLENOID for PREMIXED WATER w/ a 0.5 GPM AERATOR	450.00
SF1594-B	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	450.00
SF1594-E	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFOMER	450.00
SF1596-B	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	560.00
SF1596-E	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER	560.00
SF1597-B	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by EXTERNALLY MOUNTED 9V BATTERY	605.00
SF1597-E	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by ELECTRICAL CONNECTION 9V TRANSFOMER	605.00



Last Update: 1 April 2013 - Version 2.4

U1802-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	609.50
U1802-1.28-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.28 GPF)	609.50
U1802-1.28-SC-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.28 GPF)	640.70
U1802-1.6-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	609.50
U1802-1.6-SC-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.6 GPF)	640.70
U1802-3-SC-T42	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	609.50
U1834-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	553.80
U1834-1.28-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	553.80



Last Update: 1 April 2013 - Version 2.4

U1834-1.6-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	553.80
U1834-3-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	553.80
U1842-SC-T42	CONCEALED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	637.40
U1842-1.28-SC-T42	CONCEALED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	637.40
U1842-1.6-SC-T42	CONCEALED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	637.40
U1842-3-SC-T42	CONCEALED TRUESENSE VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	637.40
U1845-SC-T42	CONCEALED TRUESENSE VALVE for URINAL, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	643.80
U1845-0.125-SC-T42	CONCEALED TRUESENSE VALVE for URINAL, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	643.80

Last Update: 1 April 2013 - Version 2.4

U1845-0.5-SC-T42	CONCEALED TRUESENSE VALVE for URINAL, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	643.80
U1845-1-SC-T42	CONCEALED TRUESENSE VALVE for URINAL, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	643.80
U1846-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	602.40
U1846-1.6-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	602.40
U1846-3-SC-T42	CONCEALED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	602.40
U1851-0.125-SC-T42	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (0.125 GPF)	593.30
U1851-0.125-SC-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.125 GPF)	624.50
U1851-0.5-SC-T42	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (0.5 GPF)	593.30



Last Update: 1 April 2013 - Version 2.4

U1851-0.5-SC-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE, SWEAT ADAPTOR KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.5 GPF)	624.50
U1851-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	593.30
U1851-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	593.30
U1852-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (4.5 GPF)	593.30
U1852-1-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	593.30
U1852-1.5-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.5 GPF)	593.30
U1852-3-SC-T42	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	593.30
U1871-0.125-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZED REQUIRED ****	530.80



Last Update: 1 April 2013 - Version 2.4

U1871-0.5-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	530.80
U1871-1-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	530.80
U1872-0.125-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZED REQUIRED ****	530.80
U1872-0.5-SC-T42	CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	530.80
U1872-1-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	530.80
U1872-1.5-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (1.5 GPF) **** WALL SIZED REQUIRED ****	530.80
U1872-3-SC-T42	CONCEALED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZED REQUIRED ****	530.80
U402-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	173.00



Last Update: 1 April 2013 - Version 2.4

U402-1.28-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	173.00
U402-1.28-GJ-T42-T106	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & MASHAERATOR BYPASS (1.28 GPF)	178.60
U402-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	173.00
U402-1.6-GJ-T42-T106	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & MASHAERATOR BYPASS (1.6 GPF)	178.60
U402-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	173.00
U414-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	188.80
U414-1.28-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR (1.28 GPF)	188.80
U414-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	188.80



Last Update: 1 April 2013 - Version 2.4

U414-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	188.80
U451-0.125-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (0.125 GPF)	175.00
U451-0.5-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (0.5 GPF)	175.00
U451-1-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.0 GPF)	175.00
U452-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (4.0 GPF)	175.00
U452-1-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.0 GPF)	175.00
U452-1.5-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (1.5 GPF)	175.00
U452-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	175.00



Last Update: 1 April 2013 - Version 2.4

U455-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	525.00
U455-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	525.00
U455-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	525.00
U461-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	538.80
U461-1.28-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	538.80
U461-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	508.70
U461-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	160.30
U474-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 3/6" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	215.00

Last Update: 1 April 2013 - Version 2.4

U474-2.4-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (2.4 GPF)	215.00
U474-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	215.00
U479-1.6-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U479-2.4-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U479-3-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ GROUND JOINT & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U402-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (4.5 GPF)	173.00
U402-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.28 GPF)	173.00
U402-1.28-SC-T42-T106	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT TAILPIECE & MASHAERATOR BYPASS (1.28 GPF)	178.60



Last Update: 1 April 2013 - Version 2.4

U402-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.6 GPF)	173.00
U402-1.6-SC-T42-T106	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, SLIPFIT TAILPIECE & MASHAERATOR BYPASS (1.6 GPF)	178.60
U402-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (3.5 GPF)	173.00
U414-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (4.5 GPF)	188.80
U414-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.28 GPF)	188.80
U414-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.6 GPF)	188.80
U414-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (3.5 GPF)	188.80
U451-0.125-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE forHIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.125 GPF)	175.00



Last Update: 1 April 2013 - Version 2.4

U451-0.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.5 GPF)	175.00
U451-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)	175.00
U452-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (4.0 GPF)	175.00
U452-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)	175.00
U452-1.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.5 GPF)	175.00
U452-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (3.5 GPF)	175.00
U455-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	525.00
U455-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	525.00



Last Update: 1 April 2013 - Version 2.4

U455-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	525.00
U461-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (4.5 GPF)	538.80
U461-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.28 GPF)	538.80
U461-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	538.80
U461-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	538.80
U474-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (1.6 GPF)	215.00
U474-2.4-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (2.4 GPF)	215.00
U474-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTOR KIT (3.5 GPF)	215.00





Last Update: 1 April 2013 - Version 2.4

U479-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U479-2.4-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U479-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE TAILPIECE & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTOR KIT (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	225.00
U580-1.6-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00
U580-2.4-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00
U580-3-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	290.00
<b>Suffix Letter</b>	<b>Valve Variation Descriptions</b>	<b>Added Charge</b>
A	SCREWDRIVER OPERATED STOP	NC
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	\$8.95
B	1/2" PUSHBUTTON	NC
C	3" OSCILLATING DISC	\$20.25
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	\$35.70
EFE	ELECTROFLUSH EQUIPMENT	\$243.45
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	\$71.40



Last Update: 1 April 2013 - Version 2.4

G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	NC
H	FLUSH CONNECTION for 1.5" SPUD	NC
J	CAP on STOP	NC
K	1.5" FEMALE I.P. UNION OUTLET	\$61.30
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$55.20
L	HANDLE or PUSHBUTTON POSITIONED on FRONT of VAVLE	NC
M	1.25" FEMALE I.P. UNION OUTLET	\$61.30
M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$55.20
NF	LESS SPUD NUT & SPUD FLANGE	NC
NVB	LESS VACUUM BREAKER (deduct from price)	(\$8.40)
O	FLUSH CONNECTION for 1.25" SPUD	NC
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	\$12.30
S	0.75" ANGLE STOP	NC
SH-E	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	\$13.85
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	\$13.85
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, OVER the HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	\$285.00
T4	FLUSH CONNECTION for 0.75" SPUD	NC
T5	NON-HOLD-OPEN FEATURE	NC
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	\$11.25
T7	COVERING TUBE (6" in LENGTH)	NC
T9	VANDAL PROOFING for PUSHBUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	\$9.05
T26	0.5" ANGLE STOP	NC
T27	0.75" STRAIGHT STOP	NC
T28	OSCILLATING HANDLE	NC
T32	0.75" FEMALE I.P. UNION OUTLET	\$21.50
<b>Suffix Letter</b>	<b>Valve Variation Descriptions continued</b>	<b>Added Charge</b>
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$19.50
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	\$21.85
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	\$21.85



Last Update: 1 April 2013 - Version 2.4

T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$39.00
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	\$33.50
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	NC
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	NC
T45	1" FEMALE I.P. UNION OUTLET	\$38.65
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$34.95
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$62.00
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	NC
T98	LOW PRESSURE EQUIPMENT	\$14.80
T106	MASHAERATOR - SELF CLEANING BYPASS	\$7.35
VPS	VANDAL PROOF VERSION of CONTROL STOP	\$12.00
W	1" ANGLE STOP	NC
X	1.25" STRAIGHT STOP	\$24.15
Y	1" STRAIGHT STOP	\$17.20
Z	1.25" ANGLE STOP	\$23.25
138T	50Hz VA HARDWIRED STEPDOWN TRANSFORMER (110V to 24V) DESIGNED TO OPERATE UP TO 10 FLUSH VALVES for use w/ SENSOR FLUSH SYSTEM	\$64.40