

Last Update: 1 July 2017 - Version 3.0

Model #	*** Exposed PRESTO Valves for Water Closets ***	List Price Ea.
P402	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	\$182.60
P402-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	\$182.60
P402-1.6	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	\$182.60
P402-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	NLA
P404	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	\$218.00
P405	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 13.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	\$223.00
P407	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 21.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	\$232.60
P408	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	\$200.90
P410	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	\$187.40
P410-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	\$187.40
P410-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	\$187.40
P410-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	NLA
P412	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF)	\$198.20
P414	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	\$197.10
P414-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	\$197.10
P414-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	\$197.10

P414-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
P602	EXPOSED PRESTO VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	\$200.10
P602-C	EXPOSED PRESTO VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	\$217.80
P602-3-C	EXPOSED PRESTO VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (3.5 GPF)	\$217.80
P602-1.6-C	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	\$217.80
P602-1.28-C	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.28 GPF)	NLA
Model #	*** Exposed PRESTO Valves for Urinals ***	List Price Ea.
P451-1	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	\$182.60
P451-0.5	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P452	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	\$182.60
P452-1	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	\$182.60
P453	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	\$186.30
P651-1	EXPOSED PRESTO VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	\$200.10
P651-1-C	EXPOSED PRESTO VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	\$219.60
P651-0.5-C	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.5 GPF)	NLA
P651-0.125-C	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.125 GPF)	NLA
P652-C	EXPOSED PRESTO VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.5 GPF)	\$219.60
P652-1-C	EXPOSED PRESTO VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	\$219.60

Model #	*** Concealed PRESTO Valves for Water Closets ***	List Price Ea.
P533	CONCEALED PRESTO VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P534	CONCEALED PRESTO VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SZIE REQUIRED ****	NLA
P534-3	CONCEALED PRESTO VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P534-1.6	CONCEALED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	NLA
Model #	*** Concealed PRESTO Valves for Water Closets ***	List Price Ea.
P534-1.28	CONCEALED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SZIE REQUIRED ****	NLA
P535	CONCEALED PRESTO VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P536	CONCEALED PRESTO VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P537-C	CONCEALED PRESTO VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P537-3-C	CONCEALED PRESTO VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P537-1.6-C	CONCEALED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	NLA
P537-1.28-C	CONCEALED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	NLA
P542	CONCEALED PRESTO VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW for 1.5" EXPOSED TOP SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P543	CONCEALED PRESTO VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 13" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P544	CONCEALED PRESTO VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P546	CONCEALED PRESTO VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT, GROUND JOINT & 7.5" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZED REQUIRED ****	NLA

P689	CONCEALED PRESTO for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION & 1.5" TOP SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P691	CONCEALED PRESTO for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION for 1.5" EXPOSED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
Model #	*** Concealed PRESTO Valves for URINALS ***	List Price Ea.
P545	CONCEALED PRESTO VALVE for URINALS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 11" FLUSH CONNECTION w/ DOUBLE ELBOW for 1.5" EXPOSED TOP SPUD (1.0 GPF) **** WALL SIZE REQUIRED ****	NLA
P550	CONCEALED PRESTO VALVE in ROUGH BRASS for URINALS w/ GROUND JOINT& DOUBLE ELBOW FLUSH CONNECTION for 1.25" TOP SPUD (1.25 GPF) *** WALL SIZE REQUIRED ***	NLA
P571-1	CONCEALED PRESTO VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	NLA
P571-0.5	CONCEALED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P571-0.125	CONCEALED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
P572	CONCEALED PRESTO VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (4.0 GPF) *** WALL SIZE REQUIRED ***	NLA
P572-1.5	CONCEALED PRESTO VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P572-1	CONCEALED PRESTO VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	NLA
P572-0.5	CONCEALED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P572-0.125	CONCEALED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
P573	CONCEALED PRESTO VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" EXPOSED BACK SPUD (4.0 GPF) *** WALL SIZE REQUIRED ***	NLA
P693	CONCEALED PRESTO For URINALS w/ OSCILLATING FOOTPEDAL, ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF) *** WALL SIZED REQUIRED ***	NLA
Model #	*** PRESTO Valve for Security Applications ***	List Price Ea.
P439	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P439-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA

P439-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P439-1.28	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
P441	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P441-3	EXPOSED PRESTO SECURITY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	NLA
P441-1.6	EXPOSED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	NLA
P441-1.28	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (1.28 GPF)	NLA
P448	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P448-1.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	NLA
P448-1	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	NLA
P448-0.5	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P569	CONCEALED PRESTO SHOWER VALVE (Less SHOWER HEAD) **** WALL SIZE REQUIRED ****	NLA
P575-1	EXPOSED PRESTO SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	NLA
P575-0.5	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P575-0.125	EXPOSED PRESTO SECURITY VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.125 GPF)	NLA
P670	EXPOSED PRESTO VALVE for RIM FLOOR DRAIN w/ 0.5" PUSH BUTTON in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION OUTLET w/ SUPPLY LINE on RIGHT SIDE (4.0 GPF)	NLA
Model #	*** PRESTO Valve for Security Applications continued***	List Price Ea.
P529	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P529-3	CONCEALED PRESTO SECURITY VALVE for WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA

P529-1.6	CONCEALED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
P529-1.28	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
P538	CONCEALED PRESTO SECURITY VALVE for IN-FLOOR DRAIN w/ PUSH BUTTON thru the WALL, GROUND JOINT, 1" FEMALE I.P. UNION OUTLET (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P540	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF) ***WALL SIZE REQUIRED***	NLA
P540-3	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JONT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) ***WALL SIZE REQUIRED***	NLA
P540-1.6	CONCEALED PRESTO SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON, GROUND JONT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) ***WALL SIZE REQUIRED***	NLA
P540-1.28	CONCEALED PRESTO SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF) ***WALL SIZE REQUIRED***	NLA
P547	CONCEALED PRESTO SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P547-1.5	CONCEALED PRESTO SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P568	CONCEALED PRESTO SECURITY VALVE for WATER CLOSET & SINK COMBINED FIXTURE w/ PUSH BUTTON for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P622	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
P623	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P623-3	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P623-1.6	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	NLA
P623-1.28	CONCEALED PRESTO VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA

Model #	*** PRESTO Valve for Security Applications continued ***	List Price Ea.
P901	CONCEALED PRESTO SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P901-3	CONCEALED PRESTO SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA
P901-1.6	CONCEALED PRESTO SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
P901-1.28	CONCEALED PRESTO SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
988	12" x 12" KWIK-ENTRY ACCESS PANEL w/ HOLE	\$373.00
988-1	12" x 12" KWIK-ENTRY ACCESS PANEL w/ NO HOLE	\$246.00
987	13" x 17" ACCESS PANEL w/ HOLE	\$506.10
987-1	13" x 17" ACCESS PANEL w/ NO HOLE	\$412.10

Suffix Letter	Valve Variation Descriptions	Added Charge
A	SCREWDRIVER OPERATED STOP	\$0.00
AFD	ANTI-FLOOD DEVICE	\$0.00
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	\$9.35
B	1/2" PUSHBUTTON	\$0.00
C	3" OSCILLATING DISC	\$21.30
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	\$37.50
EFE	ELECTRO-FLUSH EQUIPMENT	\$255.65
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	\$75.00
G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	\$0.00
GJ	GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH	\$0.00
GJ1	GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH	\$0.00
GJ2	GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH	\$0.00
H	FLUSH CONNECTION for 1.5" SPUD	\$0.00
J	CAP on STOP	\$0.00
K	1.5" FEMALE I.P. UNION OUTLET	\$64.35
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$57.95
L	ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DISK)	\$21.30
LCS	Less CONTROL STOP	(\$17.28)
LEC	Less ELBOW CONNECTION	(\$21.40)
LFC	Less FLUSH COMMECTION	\$0.00
LH	Less HANDLE ASSEMBLY	\$0.00
LHR	LEFT HAND ROUGH-IN (for TrueSense Valves)	\$0.00

LOGO	CUSTOMIZED COVER CAP for SABER	\$8.00
LTP	LESS TRANSFORMER PLUG-IN	(\$10.50)
M	1.25" FEMALE I.P. UNION OUTLET	\$64.35
M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$57.95
NF	LESS SPUD NUT & SPUD FLANGE	\$0.00
NVB	LESS VACUUM BREAKER (deduct from price)	(\$8.84)
O	FLUSH CONNECTION for 1.25" SPUD	\$0.00
1-OS	1" OFF-SET FLUSH CONNECTION for 1" SPUD	\$14.10
1.5-OS	1.5" OFF-SET FLUSH CONNECTION for 1.5" SPUD	\$15.15

2-OS	2" OFF-SET FLUSH CONNECTION for 2" SPUD	\$15.80
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	\$12.95
S	0.75" ANGLE STOP	\$0.00
SC	ADJUSTABLE JOINT CONNECTION ("SLIPFIT" CONNECTION)	\$0.00
SH	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	\$14.55
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	\$14.55
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	\$299.25
T4	FLUSH CONNECTION for 0.75" SPUD	\$0.00
T5	NON-HOLD-OPEN FEATURE	\$0.00
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	\$11.80
T7	COVERING TUBE (6" in LENGTH)	\$0.00
T9	VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	\$9.50
T26	0.5" ANGLE STOP	\$0.00
T27	0.75" STRAIGHT STOP	\$0.00
T28	OSCILLATING HANDLE	\$0.00
T32	0.75" FEMALE I.P. UNION OUTLET	\$22.60
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$20.45
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	\$22.90
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	\$22.90
T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$40.95
T36-8	1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$50.75
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	\$48.60
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	\$0.00
T45	1" FEMALE I.P. UNION OUTLET	\$40.60
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$36.65
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$65.10
T46-8	1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$71.40
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	\$0.00
T98	LOW PRESSURE EQUIPMENT	\$15.55
T106	MASHAERATOR - SELF CLEANING BYPASS	\$7.70
TMO	TRUE MECHANICAL OVERRIDE BUTTON	\$31.50
W	1" ANGLE STOP	\$0.00
X	1.25" STRAIGHT STOP	\$25.40
Y	1" STRAIGHT STOP	\$18.05
Z	1.25" ANGLE STOP	\$24.40