

Last Update: 1 July 2017 - Version 3.0

| Model #        | *** Rex Valve Descriptions ***   | List Price |
|----------------|--|------------|
| R401-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (3.5 GPF)   | \$157.79   |
| R401-3-G       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)  | \$157.79   |
| R401-3-G-NF    | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)                 | \$157.79   |
| R401-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (1.6 GPF)   | \$157.79   |
| R401-1.6-G     | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)                        | \$157.79   |
| R401-1.6-G-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF) | \$157.79   |
| R401-1.28-G-NF | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)      | \$157.79   |
| R402           | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)   | NLA        |
| R402-NVB       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (4.5 GPF)   | \$160.00   |
| R402-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)   | \$160.00   |
| R402-3-NVB     | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (3.5 GPF)   | \$160.00   |
| R402-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)   | \$160.00   |
| R402-1.28-G-NF | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)                          | \$161.00   |
| R402-3-G       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)  | \$160.00   |
| R402-1.6-G     | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)                          | \$160.00   |
| R402-1.6-G-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)                     | \$160.00   |
| R402-1.6-NVB   | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (1.6 GPF)                               | \$160.00   |
| R403-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)  | \$188.90   |
| R403-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)  | \$188.90   |
| R404-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)  | \$188.90   |
| R404-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)  | \$188.90   |
| R407-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)   | \$202.40   |
| R407-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)   | \$202.40   |
| R411-3-J-NF    | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)  | \$157.79   |
| R411-1.6-J-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)                      | \$157.79   |
| R412-3         | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)  | \$172.00   |



|               |   |          |
|---------------|---|----------|
| R412-1.6      | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)   | \$172.00 |
| R414-3        | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (3.5 GPF)   | \$185.50 |
| R414-1.6      | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (1.6 GPF)   | \$185.50 |
| R451-1        | EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)  | \$162.22 |
| R526-3-NF     | REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) ...  | \$148.90 |
| R526-1.6-NF   | REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) ...  | \$148.90 |
| R527-3-NF     | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF...)  | \$151.11 |
| R527-1.6-NF   | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF...)  | \$151.11 |
| P577-3-J-NF   | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF) | \$199.40 |
| P577-1.6-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF) | \$199.40 |
| P578-3-NF     | PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)                                     | \$208.50 |
| P578-1.6-NF   | PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)                                     | \$208.50 |

| Suffix Letter | Valve Variation Descriptions   | Added Charge |
|---------------|--|--------------|
| A             | SCREWDRIVER OPERATED STOP  | \$0.00       |
| AM            | Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE                                    | \$9.35       |
| B             | 1/2" PUSHBUTTON  | \$0.00       |
| C             | 3" OSCILLATING DISC  | \$21.30      |
| E             | WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)                     | \$37.50      |
| EFE           | ELECTRO-FLUSH EQUIPMENT  | \$255.65     |
| F             | 2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)                               | \$75.00      |
| G             | BUMPER on ANGLE STOP (for SEAT w/o COVER)  | \$0.00       |
| GJ            | GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH                                      | \$0.00       |
| GJ1           | GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH                                      | \$0.00       |
| GJ2           | GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH                                      | \$0.00       |
| H             | FLUSH CONNECTION for 1.5" SPUD   | \$0.00       |
| J             | CAP on STOP  | \$0.00       |
| K             | 1.5" FEMALE I.P. UNION OUTLET  | \$64.35      |
| K-RB          | 1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS                                       | \$57.95      |
| L             | ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DISK) | \$21.30      |
| LCS           | Less CONTROL STOP  | (\$17.28)    |
| LEC           | Less ELBOW CONNECTION  | (\$21.40)    |
| LFC           | Less FLUSH COMMECTION  | \$0.00       |
| LH            | Less HANDLE ASSEMBLY   | \$0.00       |
| LHR           | LEFT HAND ROUGH-IN (for TrueSense Valves)  | \$0.00       |

|        |   |           |
|--------|---|-----------|
| LOGO   | CUSTOMIZED COVER CAP for SABER  | \$8.00    |
| LTP    | LESS TRANSFORMER PLUG-IN  | (\$10.50) |
| M      | 1.25" FEMALE I.P. UNION OUTLET  | \$64.35   |
| M-RB   | 1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS   | \$57.95   |
| NF     | LESS SPUD NUT & SPUD FLANGE   | \$0.00    |
| NVB    | LESS VACUUM BREAKER (deduct from price)   | (\$8.84)  |
| O      | FLUSH CONNECTION for 1.25" SPUD   | \$0.00    |
| 1-OS   | 1" OFF-SET FLUSH CONNECTION for 1" SPUD   | \$14.10   |
| 1.5-OS | 1.5" OFF-SET FLUSH CONNECTION for 1.5" SPUD   | \$15.15   |
| 2-OS   | 2" OFF-SET FLUSH CONNECTION for 2" SPUD   | \$15.80   |
| R-CP   | WHEEL HANDLE OPERATED STOP in CHROME PLATE  | \$12.95   |
| S      | 0.75" ANGLE STOP  | \$0.00    |
| SH     | SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH                               | \$14.55   |
| SH-S   | SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH                               | \$14.55   |
| SM     | SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs) | \$299.25  |
| T4     | FLUSH CONNECTION for 0.75" SPUD   | \$0.00    |
| T5     | NON-HOLD-OPEN FEATURE   | \$0.00    |
| T6     | WALL FLANGE w/ ALLEN HEAD SET SCREW   | \$11.80   |
| T7     | COVERING TUBE (6" in LENGTH)  | \$0.00    |
| T9     | VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)                        | \$9.50    |
| T26    | 0.5" ANGLE STOP   | \$0.00    |
| T27    | 0.75" STRAIGHT STOP   | \$0.00    |
| T28    | OSCILLATING HANDLE  | \$0.00    |
| T32    | 0.75" FEMALE I.P. UNION OUTLET  | \$22.60   |
| T32-RB | 0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS   | \$20.45   |
| T33    | 1.5" x 5" CHROME PLATED FLUSH ELBOW   | \$22.90   |
| T34    | 1.25" x 5" CHROME PLATED FLUSH ELBOW  | \$22.90   |
| T36    | 1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$40.95   |
| T36-8  | 1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$50.75   |
| T38    | TRAP PRIMER ATTACHMENT in FLUSH CONNECTION  | \$48.60   |
| T42    | SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)   | \$0.00    |
| T42    | SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)   | \$0.00    |
| T45    | 1" FEMALE I.P. UNION OUTLET   | \$40.60   |
| T45-RB | 1" FEMALE I.P. UNION OUTLET in ROUGH BRASS  | \$36.65   |
| T46    | 1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$65.10   |
| T46-8  | 1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$71.40   |
| T48    | VALVE fitted for use w/ an #988 ACCESS PANEL  | \$0.00    |
| T98    | LOW PRESSURE EQUIPMENT  | \$15.55   |
| T106   | MASHAERATOR - SELF CLEANING BYPASS  | \$7.70    |
| TMO    | TRUE MECHANICAL OVERRIDE BUTTON   | \$31.50   |

|   |                     |         |
|---|---------------------|---------|
| W | 1" ANGLE STOP       | \$0.00  |
| X | 1.25" STRAIGHT STOP | \$25.40 |
| Y | 1" STRAIGHT STOP    | \$18.05 |
| Z | 1.25" ANGLE STOP    | \$24.40 |

Last Update: 1 July 2017 - Version 3.0

| Model #        | *** Rex Valve Descriptions ***   | List Price |
|----------------|--|------------|
| R401-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (3.5 GPF)   | \$157.79   |
| R401-3-G       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)  | \$157.79   |
| R401-3-G-NF    | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)                 | \$157.79   |
| R401-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD (1.6 GPF)   | \$157.79   |
| R401-1.6-G     | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)                        | \$157.79   |
| R401-1.6-G-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF) | \$157.79   |
| R401-1.28-G-NF | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)      | \$157.79   |
| R402           | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)   | NLA        |
| R402-NVB       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (4.5 GPF)   | NLA        |
| R402-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)   | \$160.00   |
| R402-3-NVB     | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (3.5 GPF)   | NLA        |
| R402-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)   | \$160.00   |
| R402-1.28-G-NF | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)                          | \$161.00   |
| R402-3-G       | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)  | \$160.00   |
| R402-1.6-G     | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)                          | \$160.00   |
| R402-1.6-G-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)                     | \$160.00   |
| R402-1.6-NVB   | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (1.6 GPF)                               | NLA        |
| R403-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)  | \$188.90   |
| R403-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)  | \$188.90   |
| R404-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)  | \$188.90   |
| R404-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)  | \$188.90   |
| R407-3         | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)   | \$202.40   |
| R407-1.6       | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)   | \$202.40   |
| R411-3-J-NF    | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)  | \$157.79   |
| R411-1.6-J-NF  | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)                      | \$157.79   |
| R412-3         | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)  | \$172.00   |



|               |   |          |
|---------------|---|----------|
| R412-1.6      | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP (1.6 GPF)   | \$172.00 |
| R414-3        | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (3.5 GPF)   | \$185.50 |
| R414-1.6      | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & 1" ANGLE STOP (1.6 GPF)   | \$185.50 |
| R451-1        | EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)  | \$162.22 |
| R526-3-NF     | REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) ...  | \$148.90 |
| R526-1.6-NF   | REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) ...  | \$148.90 |
| R527-3-NF     | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF...)  | \$151.11 |
| R527-1.6-NF   | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF...)  | \$151.11 |
| P577-3-J-NF   | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF) | \$199.40 |
| P577-1.6-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF) | \$199.40 |
| P578-3-NF     | PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)                                     | \$208.50 |
| P578-1.6-NF   | PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)                                     | \$208.50 |

| Suffix Letter | Valve Variation Descriptions   | Added Charge |
|---------------|--|--------------|
| A             | SCREWDRIVER OPERATED STOP  | \$0.00       |
| AM            | Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE                                    | \$9.35       |
| B             | 1/2" PUSHBUTTON  | \$0.00       |
| C             | 3" OSCILLATING DISC  | \$21.30      |
| E             | WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)                     | \$37.50      |
| EFE           | ELECTRO-FLUSH EQUIPMENT  | \$255.65     |
| F             | 2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)                               | \$75.00      |
| G             | BUMPER on ANGLE STOP (for SEAT w/o COVER)  | \$0.00       |
| GJ            | GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH                                      | \$0.00       |
| GJ1           | GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH                                      | \$0.00       |
| GJ2           | GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH                                      | \$0.00       |
| H             | FLUSH CONNECTION for 1.5" SPUD   | \$0.00       |
| J             | CAP on STOP  | \$0.00       |
| K             | 1.5" FEMALE I.P. UNION OUTLET  | \$64.35      |
| K-RB          | 1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS                                       | \$57.95      |
| L             | ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DISK) | \$21.30      |
| LCS           | Less CONTROL STOP  | (\$17.28)    |
| LEC           | Less ELBOW CONNECTION  | (\$21.40)    |
| LFC           | Less FLUSH COMMECTION  | \$0.00       |
| LH            | Less HANDLE ASSEMBLY   | \$0.00       |
| LHR           | LEFT HAND ROUGH-IN (for TrueSense Valves)  | \$0.00       |

|        |   |           |
|--------|---|-----------|
| LOGO   | CUSTOMIZED COVER CAP for SABER  | \$8.00    |
| LTP    | LESS TRANSFORMER PLUG-IN  | (\$10.50) |
| M      | 1.25" FEMALE I.P. UNION OUTLET  | \$64.35   |
| M-RB   | 1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS   | \$57.95   |
| NF     | LESS SPUD NUT & SPUD FLANGE   | \$0.00    |
| NVB    | LESS VACUUM BREAKER (deduct from price)   | (\$8.84)  |
| O      | FLUSH CONNECTION for 1.25" SPUD   | \$0.00    |
| 1-OS   | 1" OFF-SET FLUSH CONNECTION for 1" SPUD   | \$14.10   |
| 1.5-OS | 1.5" OFF-SET FLUSH CONNECTION for 1.5" SPUD   | \$15.15   |
| 2-OS   | 2" OFF-SET FLUSH CONNECTION for 2" SPUD   | \$15.80   |
| R-CP   | WHEEL HANDLE OPERATED STOP in CHROME PLATE  | \$12.95   |
| S      | 0.75" ANGLE STOP  | \$0.00    |
| SH     | SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH                               | \$14.55   |
| SH-S   | SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH                               | \$14.55   |
| SM     | SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs) | \$299.25  |
| T4     | FLUSH CONNECTION for 0.75" SPUD   | \$0.00    |
| T5     | NON-HOLD-OPEN FEATURE   | \$0.00    |
| T6     | WALL FLANGE w/ ALLEN HEAD SET SCREW   | \$11.80   |
| T7     | COVERING TUBE (6" in LENGTH)  | \$0.00    |
| T9     | VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)                        | \$9.50    |
| T26    | 0.5" ANGLE STOP   | \$0.00    |
| T27    | 0.75" STRAIGHT STOP   | \$0.00    |
| T28    | OSCILLATING HANDLE  | \$0.00    |
| T32    | 0.75" FEMALE I.P. UNION OUTLET  | \$22.60   |
| T32-RB | 0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS   | \$20.45   |
| T33    | 1.5" x 5" CHROME PLATED FLUSH ELBOW   | \$22.90   |
| T34    | 1.25" x 5" CHROME PLATED FLUSH ELBOW  | \$22.90   |
| T36    | 1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$40.95   |
| T36-8  | 1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$50.75   |
| T38    | TRAP PRIMER ATTACHMENT in FLUSH CONNECTION  | \$48.60   |
| T42    | SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)   | \$0.00    |
| T42    | SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)   | \$0.00    |
| T45    | 1" FEMALE I.P. UNION OUTLET   | \$40.60   |
| T45-RB | 1" FEMALE I.P. UNION OUTLET in ROUGH BRASS  | \$36.65   |
| T46    | 1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$65.10   |
| T46-8  | 1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION   | \$71.40   |
| T48    | VALVE fitted for use w/ an #988 ACCESS PANEL  | \$0.00    |
| T98    | LOW PRESSURE EQUIPMENT  | \$15.55   |
| T106   | MASHAERATOR - SELF CLEANING BYPASS  | \$7.70    |
| TMO    | TRUE MECHANICAL OVERRIDE BUTTON   | \$31.50   |

|   |                     |         |
|---|---------------------|---------|
| W | 1" ANGLE STOP       | \$0.00  |
| X | 1.25" STRAIGHT STOP | \$25.40 |
| Y | 1" STRAIGHT STOP    | \$18.05 |
| Z | 1.25" ANGLE STOP    | \$24.40 |