

Last Update: 1 July 2017 - Version 3.0

<b>Model #</b>	<b>*** Valves for Security Applications ***</b>	<b>List Price Ea.</b>
E1201-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	\$345.10
E1201-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ SLIPFIT CONNECTION & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	\$345.10
E1223-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	\$363.20
E1223-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	\$363.20
E1229-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	\$363.20
E1229-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	\$363.20
E1240-1.6-SC-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	\$365.20
E1240-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WALL HUNG SECURITY FIXTURE, PISTON OPERATED w/ ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	\$365.20
<b>Model #</b>	<b>*** Valves for Security Applications continued ***</b>	<b>List Price Ea.</b>
F448-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	\$183.80
F448-1.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	\$183.80
F448-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT, 1.5" X 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	\$183.80
F448-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" X 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	\$183.80
F569-GJ	CONCEALED FLUSHBOY SHOWER VALVE (Less SHOWER HEAD) **** WALL SZIE REQUIRED ****	NLA
F575-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	\$182.60

Last Update: 1 July 2017 - Version 3.0

F575-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	\$182.60
F670-GJ	EXPOSED FLUSHBOY VALVE for RIM FLOOR DRAIN w/ 0.5" PUSH BUTTON in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION OUTLET w/ SUPPLY LINE on RIGHT SIDE (4.0 GPF)	NLA
F424-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET for SINK COMBINED FIXTURE w/ PUSH BUTTON, GROUND JOINT & 1.5" x 15" ELBOW FLUSH CONNECTION for CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F529-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	\$255.50
F529-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	\$255.50
F529-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	\$255.50
F529-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	\$255.50
F538-GJ	CONCEALED FLUSHBOY SECURITY VALVE for IN-FLOOR DRAIN w/ PUSH BUTTON thru the WALL, GROUND JOINT, 1" FEMALE I.P. UNION OUTLET (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F540-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F540-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) ***WALL SIZE REQUIRED***	NLA
F540-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) ***WALL SIZE REQUIRED***	NLA
<b>Model #</b>	<b>*** Valves for Security Applications continued ***</b>	<b>List Price Ea.</b>
F540-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) ***WALL SIZE REQUIRED***	NLA
F547-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	\$219.20
F547-1.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	\$219.20
F502-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (4.5 GPF)	\$200.10
F502-3-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (3.5 GPF)	\$221.40

**Last Update: 1 July 2017 - Version 3.0**

F502-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (4.5 GPF)	\$221.40
F551-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINAL w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (1.0 GPF)	\$242.70
F551-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINAL w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SUPPLY on LEFT SIDE (1.0 GPF)	\$242.70
F568-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET & SINK COMBINED FIXTURE w/ PUSH BUTTON for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F576-1-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) **** WALL SIZE REQUIRED ***	\$229.80
F576-0.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) **** WALL SIZE REQUIRED ***	\$229.80
F623-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION, ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF)	\$234.30
F623-3-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	\$234.30
F623-1.6-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	\$234.30
F623-1.28-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	\$234.30
<b>Model #</b>	<b>*** Valves for Security Applications continued ***</b>	<b>List Price Ea.</b>
F901-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F901-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F901-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
F901-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F1201-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	\$363.20
F1201-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 18" FLUSH CONNECTION for BACK SPUD w/ GROUND JOINT CONNECTION & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	\$363.20

**Last Update: 1 July 2017 - Version 3.0**

F1223-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	\$382.30
F1223-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	\$382.30
F1223-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	\$382.30
F1223-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	\$382.30
F1229-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	\$403.40
F1229-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	\$403.40
F1229-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTOR for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF) **** WALL SIZE REQUIRED ****	\$403.40
F1238-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	\$270.10
F1240-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	\$384.40
F1240-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	\$384.40
F1240-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	\$384.40
F1247-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	\$359.40
F1247-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	\$359.40
F1248-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (3.5 GPF)	\$401.90

**Last Update: 1 July 2017 - Version 3.0**

F1248-1.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.5 GPF)	\$401.90
F1270-1.6-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for FLOOR DRAIN w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)	\$496.40
F1275-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	\$401.90
F1276-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGHLIUNG LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	\$365.90
988	12" x 12" KWIK-ENTRY ACCESS PANEL w/ HOLE	\$373.00
988-1	12" x 12" KWIK-ENTRY ACCESS PANEL w/ NO HOLE	\$246.00
987	13" x 17" ACCESS PANEL w/ HOLE	\$506.10
987-1	13" x 17" ACCESS PANEL w/ NO HOLE	\$412.10

Suffix Letter	Valve Variation Descriptions	Added Charge
A	SCREWDRIVER OPERATED STOP	0.00
AFD	ANTI-FLOOD DEVICE	0.00
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	9.35
B	1/2" PUSHBUTTON	0.00
C	3" OSCILLATING DISC	21.30
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	37.50
EFE	ELECTRO-FLUSH EQUIPMENT	255.65
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	75.00
G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	0.00
GJ	GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH	0.00
GJ1	GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH	0.00
GJ2	GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH	0.00
H	FLUSH CONNECTION for 1.5" SPUD	0.00
J	CAP on STOP	0.00
K	1.5" FEMALE I.P. UNION OUTLET	64.35
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	57.95
L	ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DISK)	21.30
LCS	Less CONTROL STOP	(17.28)
LEC	Less ELBOW CONNECTION	(21.40)
LFC	Less FLUSH COMMECTION	0.00
LH	Less HANDLE ASSEMBLY	0.00
LHR	LEFT HAND ROUGH-IN (for TrueSense Valves)	0.00
LOGO	CUSTOMIZED COVER CAP for SABER	8.00
LTP	LESS TRANSFORMER PLUG-IN	(10.50)
M	1.25" FEMALE I.P. UNION OUTLET	64.35

**Last Update: 1 July 2017 - Version 3.0**

M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	57.95
NF	LESS SPUD NUT & SPUD FLANGE	0.00
NVB	LESS VACUUM BREAKER (deduct from price)	(8.84)
O	FLUSH CONNECTION for 1.25" SPUD	0.00
1-OS	1" OFF-SET FLUSH CONNECTION for 1" SPUD	14.10
1.5-OS	1.5" OFF-SET FLUSH CONNECTION for 1.5" SPUD	15.15
2-OS	2" OFF-SET FLUSH CONNECTION for 2" SPUD	15.80
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	12.95
S	0.75" ANGLE STOP	0.00
SC	ADJUSTABLE JOINT CONNECTION ("SLIPFIT" CONNECTION)	0.00
SH	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	14.55
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	14.55
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	299.25
T4	FLUSH CONNECTION for 0.75" SPUD	0.00
T5	NON-HOLD-OPEN FEATURE	0.00
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	11.80
T7	COVERING TUBE (6" in LENGTH)	0.00
T9	VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	9.50
T26	0.5" ANGLE STOP	0.00
T27	0.75" STRAIGHT STOP	0.00
T28	OSCILLATING HANDLE	0.00
T32	0.75" FEMALE I.P. UNION OUTLET	22.60
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	20.45
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	22.90
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	22.90
T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	40.95
T36-8	1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	50.75
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	48.60
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	0.00
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	0.00
T45	1" FEMALE I.P. UNION OUTLET	40.60
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	36.65
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	65.10
T46-8	1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	71.40
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	0.00
T98	LOW PRESSURE EQUIPMENT	15.55
T106	MASHAERATOR - SELF CLEANING BYPASS	7.70
TMO	TRUE MECHANICAL OVERRIDE BUTTON	31.50
VPS	VANDAL PROOF VERSION of CONTROL STOP	0.00
W	1" ANGLE STOP	0.00
X	1.25" STRAIGHT STOP	25.40
Y	1" STRAIGHT STOP	18.05
Z	1.25" ANGLE STOP	24.40