



Last Update: 1 April 2013 - Version 2.1

Model #	*** Sensor-Flush Exposed W.C. Valve Descriptions ***	List Price Ea.
F1302-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for HIGH EFFICIENCY TOILETS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF)	\$615.30
F1302-3-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF)	\$615.30
F1302-1.6-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF)	\$615.30
F1302-1.28-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for HIGH EFFICIENCY TOILETS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF)	\$615.30
Model #	*** Sensor-Flush Valve Urinal Valve Descriptions ***	List Price Ea.
F1351-1-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR KIT (1.0 GPF)	\$599.00
F1351-0.5-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF)	\$599.00
F1351-0.125-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF)	\$599.00
F1352-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADFAPTOR KIT (4.5 GPF)	\$599.00
F1352-3-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADFAPTOR KIT (3.5 GPF)	\$599.00
F1352-1.5-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADFAPTOR KIT (1.5 GPF)	\$599.00
F1352-1-GJ-T42	EXPOSED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADFAPTOR KIT (1.0 GPF)	\$599.00



Model #	*** Transformers for Sensor-Flush Valve Descriptions ***	List Price Ea.
138T	50Hz VA HARDWIRED STEPDOWN TRANSFORMER (110V to 24V) DESIGNED TO OPERATE UP TO 10 FLUSH VALVES	\$64.40
987-SF-C	13" x 17" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET	\$482.00
987-SF-U	13" x 17" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for URINAL	\$482.00
**** Please Note that all Sensor-Flush Valves except Exposed Urinals come with an Override Button Option. In order to order this Feature please add the suffix "-OB" to any model number. ****		

Last Update: 1 April 2013 - Version 2.1

Model #	*** Sensor-Flush Concealed W.C. Valve Descriptions ***	List Price Ea.
F1334-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION, CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZE REQUIRED ****	\$559.20
F1334-3-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION, CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZE REQUIRED ****	\$559.20
F1334-1.6-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION, CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) **** WALL SIZE REQUIRED ****	\$559.20
F1334-1.28-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON w/ 1.5" X 12" ELBOW FLUSH CONNECTION, CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) **** WALL SIZE REQUIRED ****	\$559.20
F1342-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	\$649.80
F1342-3-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	\$649.80
F1342-1.6-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	\$649.80
F1342-1.28-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 1.5" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.28 GPF) *** WALL SIZE REQUIRED ***	\$649.80
F1345-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) *** WALL SIZE REQUIRED ***	\$650.00
F1345-1-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) *** WALL SIZE REQUIRED ***	\$650.00

F1345-0.5-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) *** WALL SIZE REQUIRED ***	\$650.00
F1345-0.125-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & DOUBLE ELBOW FLUSH CONNECTION for 0.75" EXPOSED TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) *** WALL SIZE REQUIRED ***	\$650.00
F1346-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) *** WALL SIZE REQUIRED ***	\$608.20
F1346-3-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) *** WALL SIZE REQUIRED ***	\$608.20
F1346-1.6-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON & ELBOW FLUSH CONNECTION for 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.6 GPF) *** WALL SIZE REQUIRED ***	\$608.20
Model #	** Sensor-Flush Concealed Urinal Valve Descriptions **	List Price Ea.
F1371-1-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1371-0.5-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1371-0.125-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 0.75" X 9" FLUSH CONNECTION w/ BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1372-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (4.5 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1372-3-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (3.5 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1372-1.5-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.5 GPF) **** WALL SIZED REQUIRED ****	\$535.90

F1372-1-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (1.0 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1372-0.5-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.5 GPF) **** WALL SIZED REQUIRED ****	\$535.90
F1372-0.125-GJ-T42	CONCEALED SENSOR-FLUSH VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 110V HARDWIRED SYSTEM w/ OVERRIDE BUTTON, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTOR (0.125 GPF) **** WALL SIZED REQUIRED ****	\$535.90
Model #	** Transformers for Sensor-Flush Valve Descriptions **	List Price Ea.
138T	50Hz VA HARDWIRED STEPDOWN TRANSFORMER (110V to 24V) DESIGNED TO OPERATE UP TO 10 FLUSH VALVES	\$64.40
Model #	** Access Panels for Sensor-Flush Valve Descriptions **	List Price Ea.
987-SF-C	13" x 17" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET	\$482.00
987-SF-U	13" x 17" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for URINAL	\$482.00
988-SF-C	12" x 12" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for WATER CLOSET	\$499.80
988-SF-U	12" x 12" ACCESS PANEL for CONCEALED SENSOR-FLUSH VALVE for URINAL	\$499.80
<p align="center">**** Please Note that all Sensor-Flush Valves except Exposed Urinals come with an Override Button Option. In order to order this Feature please add the suffix "-OB" to any model number. ****</p>		

Last Update: 1 April 2013 - Version 2.1

Model #	***Pulsar Valve Descriptions ***	List Price Ea.
PL1402-3-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON & SWEAT ADAPTOR KIT (3.5 GPF)	\$552.10
PL1402-1.6-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.6 GPF)	\$552.10
PL1402-1.28-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.28 GPF)	\$552.10
PL1402-1.1-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.1 GPF)	\$552.10
PL1451-1-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1 GPF)	\$552.10
PL1451-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)	\$552.10
PL1451-0.125-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.125 GPF)	\$552.10
PL1452-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)	\$552.10

Suffix Letter	Valve Variation Descriptions	Added Charge
A	SCREWDRIVER OPERATED STOP	NC
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	\$8.95
B	1/2" PUSHBUTTON	NC
C	3" OSCILLATING DISC	\$20.25
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	\$35.70
EFE	ELECTROFLUSH EQUIPMENT	\$243.45
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	\$71.40
G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	NC
H	FLUSH CONNECTION for 1.5" SPUD	NC
J	CAP on STOP	NC
K	1.5" FEMALE I.P. UNION OUTLET	\$61.30
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$55.20
L	HANDLE or PUSHBUTTON POSITIONED on FRONT of VAVLE	NC
M	1.25" FEMALE I.P. UNION OUTLET	\$61.30

Last Update: 1 April 2013 - Version 2.1

M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$55.20
NF	LESS SPUD NUT & SPUD FLANGE	NC
NVB	LESS VACUUM BREAKER (deduct from price)	(\$8.40)
O	FLUSH CONNECTION for 1.25" SPUD	NC
Q	"TURN-TO-SILENCE" (Quiet) EQUIPMENT	NC
Suffix Letter	Valve Variation Descriptions continued	Added Charge
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	\$12.30
S	0.75" ANGLE STOP	NC
SH-E	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	\$13.85
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	\$13.85
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, OVER the HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	\$285.00
T4	FLUSH CONNECTION for 0.75" SPUD	NC
T5	NON-HOLD-OPEN FEATURE	NC
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	\$11.25
T9	VANDAL PROOFING for PUSHBUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	\$9.05
T26	0.5" ANGLE STOP	NC
T27	0.75" STRAIGHT STOP	NC
T28	OSCILLATING HANDLE	NC
T32	0.75" FEMALE I.P. UNION OUTLET	\$21.50
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$19.50
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	\$21.85
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	\$21.85
T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$39.00
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	\$33.50
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	NC
T45	1" FEMALE I.P. UNION OUTLET	\$38.65
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$34.95
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$62.00
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	NC
T98	LOW PRESSURE EQUIPMENT	\$14.80
T106	MASHAERATOR - SELF CLEANING BYPASS	\$7.35
W	1" ANGLE STOP	NC
X	1.25" STRAIGHT STOP	\$24.15
Y	1" STRAIGHT STOP	\$17.20
Z	1.25" ANGLE STOP	\$23.25
138T	50Hz VA HARDWIRED STEPDOWN TRANSFORMER (110V to 24V) DESIGNED TO OPERATE UP TO 10 FLUSH VALVES	\$64.40

Last Update: 1 April 2013 - Version 2.1

Item #	***Pulsar Retro-Fit Kits Descriptions ***	List Price Ea.
PL3003A	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (4.5 GPF)	\$425.00
PL3003A-3	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF)	\$425.00
PL3003A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (1.6 GPF)	\$425.00
PL3003A-1.28	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (1.28 GPF)	\$425.00
PL3003A-1.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (1.5 GPF)	\$425.00
PL3003A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY URINAL VALVES (1.0 GPF)	\$425.00
PL3003A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY URINAL VALVES (0.5 GPF)	\$425.00
PL3003A-0.125	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY URINAL VALVES (0.125 GPF)	\$425.00
PL4004A	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (4.5 GPF)	\$425.00
PL4004A-3	IMPULSE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (3.5 GPF)	\$425.00
PL4004A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (1.6 GPF)	\$425.00
PL4004A-1.28	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN WATER CLOSET VALVES (1.28 GPF)	\$425.00
PL4004A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN URINAL VALVES (1.0 GPF)	\$425.00
PL4004A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN URINAL VALVES (0.5 GPF)	\$425.00
PL4004A-0.125	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for SLOAN URINAL VALVES (0.125 GPF)	\$425.00
PL5005A	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (4.5 GPF)	\$425.00
PL5005A-3	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (3.5 GPF)	\$425.00

PL5005A-1.6	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.6 GPF)	\$425.00
PL5005A-1.28	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.28 GPF)	\$425.00
PL5005A-1	PULSAR HANDS-FREE, SENSOR OPERATED, BATTERY POWERED RETROFIT KIT w/ OVERRIDE BUTTON for REX & PRESTO VALVES (1.0 GPF)	\$425.00