



Last Update: 15 Oct 2019 - Version 3.0

Electronic (Hands-Free)

Sensor Faucets	Infinite Series - Battery or Transformer	
SF1540-B-DP4	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY (Includes 4" DECK PLATE)	546.00
SF1540-E-DP4	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER (Includes 4" DECK PLATE)	546.00
SF1593-DP4	INFINITE SERIES LAVATORY SENSOR FAUCET w/ INTERNAL AA BATTERY and SOLENOID for PREMIXED WATER w/ a 0.5 GPM AERATOR (Includes 4" DECK PLATE)	671.60
SF1594-B-DP4	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	491.40
SF1594-E-DP4	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	491.40
SF1596-B-DP4	INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	611.50
SF1596-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	611.50
SF1597-B-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	660.70
SF1597-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	660.70



Last Update: 15 Oct 2019 - Version 3.0

SF1598-B-DP4	INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	633.40
SF1598-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by ELECTICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	633.40
Hardwired	TrueSense - Exposed Water Closets	
UP1802-1.1-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.1 GPF) **** For Righthand Rough-In ONLY ****	675.00
UP1802-1.28-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & FLANGE, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.28 GPF) **** For Righthand Rough-in - ONLY ****	675.00
UP1802-1.6-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION , SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.6 GPF) **** For Righthand Rough-In ONLY ****	675.00
U1802-1.28-SC-RHR-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for HIGH EFFICIENCY TOILET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION , SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.28 GPF) **** For Righthand Rough-In ONLY ****	648.40
U1802-1.6-SC-RHR-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION , SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (1.6 GPF) **** For Righthand Rough-In ONLY ****	648.40

Last Update: 15 Oct 2019 - Version 3.0

U1802-3-SC-RHR-T42-TMO	EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (3.5 GPF) **** For Righthand Rough-In ONLY ****	648.40
Hardwired	TrueSense - Exposed Urinals	
UP1851-0.125-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.125 GPF) **** For Righthand Rough-In ONLY ****	675.00
UP1851-0.5-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.5 GPF) **** For Righthand Rough-In ONLY ****	675.00
UP1851-1-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for LOW CONSUMPTION URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.5 GPF) **** For Righthand Rough-In ONLY ****	675.00
UP1852-1-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.0 GPF) **** For Righthand Rough-In ONLY ****	722.10
UP1852-1.5-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.5 GPF) **** For Righthand Rough-In ONLY ****	722.10
U1851-0.125-SC-RHR-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.125 GPF) **** For Righthand Rough-In ONLY ****	648.40



Last Update: 15 Oct 2019 - Version 3.0

U1851-0.5-SC-RHR-T42-TMO	EXPOSED TRUESENSE VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & TRUE MECHANICAL OVERRIDE BUTTON (0.5 GPF) **** For Righthand Rough-In ONLY ****	648.40
U1851-1-SC-RHR-T42-TMO	EXPOSED TRUESENSE VALVE for LOW CONSUMPTION URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 0.75" x 9" FLUSH CONNECTION w/ TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.0 GPF) **** For Righthand Rough-In ONLY ****	648.40
U1852-1-SC-RHR-T42-TMO	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.0 GPF) **** For Righthand Rough-In ONLY ****	713.00
U1852-1.5-SC-RHR-T42-TMO	EXPOSED TRUESENSE VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, 1.25" X 9" FLUSH CONNECTION w/ TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.5 GPF) **** For Righthand Rough-In ONLY ****	713.00
Hardwired	TrueSense - Concealed Water Closets	
UP1834-1.1-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (1.1 GPF) **** WALL SIZE REQUIRED ****	621.40
UP1834-1.1-SC-T42-WB	CONCEALED TRUESENSE Plus FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTER (1.1 GPF) **** WALL SIZE REQUIRED ****	982.20
UP1834-1.28-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (1.28 GPF) **** WALL SIZE REQUIRED ****	621.40



Last Update: 15 Oct 2019 - Version 3.0

UP1834-1.28-SC-T42-WB	CONCEALED TRUESENSE Plus FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTER (1.28 GPF) **** WALL SIZE REQUIRED ****	982.20
UP1834-1.6-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON w/ MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (1.6 GPF) **** WALL SIZE REQUIRED ****	621.40
UP1834-1.6-SC-T42-WB	CONCEALED TRUESENSE Plus FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.5" x 12" ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, 13" x 17" WALL BOX for ACCESS, SLIPFIT CONNECTION & SWEAT ADAPTER (1.6 GPF) **** WALL SIZE REQUIRED ****	982.20
Hardwired	TrueSense - Concealed Urinals	
UP1871-0.125-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASAERATOR BYPASS DIAPHRAGM, 0.75" x 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (0.125 GPF) **** WALL SIZED REQUIRED ****	621.40
UP1871-0.5-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASAERATOR BYPASS DIAPHRAGM, 0.75" x 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (0.5 GPF) **** WALL SIZED REQUIRED ****	621.40
UP1871-0.5-SC-T42-WB	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 0.75" x 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER & 13" x 17" WALL BOX for ACCESS (1.0 GPF) **** WALL SIZED REQUIRED ****	982.20
UP1871-1-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASAERATOR BYPASS DIAPHRAGM, 0.75" x 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (0.5 GPF) **** WALL SIZED REQUIRED ****	621.40



Last Update: 15 Oct 2019 - Version 3.0

UP1871-1-SC-T42-WB	CONCEALED TRUESENSE Plus VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 0.75" x 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER & 13" x 17" WALL BOX for ACCESS (1.0 GPF) **** WALL SIZED REQUIRED ****	982.20
UP1872-1-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASAERATOR BYPASS DIAPHRAGM, 1.25" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (0.5 GPF) **** WALL SIZED REQUIRED ****	621.40
UP1872-1-SC-T42-WB	CONCEALED TRUESENSE Plus VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER & 13" x 17" WALL BOX for ACCESS (1.0 GPF) **** WALL SIZED REQUIRED ****	982.20
UP1872-1.5-SC-T42	CONCEALED TRUESENSE Plus VALVE for HIGH EFFICIENCY URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASAERATOR BYPASS DIAPHRAGM, 1.25" X 9" ELBOW FLUSH CONNECTION w/ BACK SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER (1.5 GPF) **** WALL SIZED REQUIRED ****	621.40
UP1872-1.5-SC-T42-WB	CONCEALED TRUESENSE Plus VALVE for URINALS, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON, MASHAERATOR DIAPHRAGM DIAPHRAGM, 1.25" X 9" ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, SLIPFIT CONNECTION, SWEAT ADAPTER & 13" x 17" WALL BOX for ACCESS (1.5 GPF) **** WALL SIZED REQUIRED ****	982.20
Hardwired	TrueSense - Hospital Applications	
UP1855-1.6-SC-RHR-T42-TMO	EXPOSD TRUESENSE Plus VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED w/ BEDPAN DIVERTER (#977), MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON & SWEAT ADAPTER KIT (for 34.375" ROUGH-Ins) (1.6 GPF) **** For Righthand Rough-In ONLY ****	1,007.90
UP1861-1.6-SC-RHR-T42-TMO	EXPOSED TRUESENSE Plus VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED w/ BEDPAN DIVERTER (#977), MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, OFFSET FLUSH CONNECTION for 1.5" TOP SPUD, TRUE MECHANICAL OVERRIDE BUTTON, & SWEAT ADAPTER KIT (1.6 GPF) **** For Righthand Rough-In ONLY ****	992.00
Battery Powered	Pulsar - Exposed Water Closets	



Last Update: 15 Oct 2019 - Version 3.0

PL1402-1.1-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF)	602.90
PL1402-1.28-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	602.90
PL1402-1.6-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	602.90
PL1402-1.6-SC-T42-DF	EXPOSED PULSAR V2.0 VALVE for WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL FLUSH) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6/1.1 GPF)	613.00
PL1402-3-GJ-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	602.90
PL1402-3-SC-T42	EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	602.90
Battery Powered	Pulsar - Exposed Urinals	
PL1451-0.125-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF)	602.90
PL1451-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.5 GPF)	602.90
PL1451-1-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF)	602.90
PL1451-1-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1 GPF)	602.90
PL1452-0.5-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.5 GPF)	602.90



Last Update: 15 Oct 2019 - Version 3.0

PL1452-1-SC-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF)	643.10
PL1452-1.5-GJ-T42	EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1 GPF)	602.90
Battery Powered	Pulsar - Hospital Application	
PL1455-1.6-SC-T42-DF	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL-FLUSH) w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6/1.1 GPF)	900.50
PL1455-1.6-SC-T42	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	799.40
PL1461-1.6-SC-T42-DF	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED, SENSOR OPERATED & AUTOMATIC DUAL-FLUSH) w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" OFFSET FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6/1.1 GPF)	908.80
PL1461-1.6-SC-T42	EXPOSED PULSAR VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" OFFSET FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	820.20
Hardwired	Pulsar - Exposed Water Closets & Urinals	
PL1402-1.28-SC-T42-HW	EXPOSED PULSAR VALVE for WATER CLOSET (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	673.00
PL1402-1.6-SC-T42-HW	EXPOSED PULSAR VALVE for WATER CLOSET (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	673.00
PL1451-0.125-SC-T42-HW	EXPOSED PULSAR VALVE for URINAL (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF)	673.00



Last Update: 15 Oct 2019 - Version 3.0

PL1451-0.5-SC-T42-HW	EXPOSED PULSAR VALVE for URINAL (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.5 GPF)	673.00
PL1451-1-SC-T42-HW	EXPOSED PULSAR VALVE for URINAL (HARDWIRED & SENSOR OPERATED) w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1 GPF)	673.00
Battery Powered Retro-Fit	Pulsar - Retro-Fit Kits for Water Closets	
PL3003A-1.28	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.28 GPF)	513.20
PL3003A-1.6	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.6 GPF)	513.20
PL3003A-1.6-DF	PULSAR V2.0 HANDS-FREE BATTERY POWERED, SENSOR OPERATED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY ULTRA WATER CLOSET VALVES (1.6/1.1 GPF)	549.00
PL3003A-3	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF)	513.20
Battery Powered Retro-Fit	Pulsar - Retro-Fit Kits for Urinals	
PL3003A-0.125	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.125 GPF)	513.20
PL3003A-0.5	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.5 GPF)	513.20
PL3003A-1	PULSAR HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (1.0 GPF)	513.20
Battery Powered Retro-Fit	SideArm - Mechanical Side Mounted Retro-Fit Kits Water Closets & Urinals	
SA6007A	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL DELANY EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	311.30



Last Update: 15 Oct 2019 - Version 3.0

SA6007A-SZ	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL SLOAN & ZURN EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	311.30
FAUCETS	Infinite Series	
SF1540-B-DP4	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY (Includes 4" DECK PLATE)	546.00
SF1540-E-DP4	INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION 9V TRANSFORMER (Includes 4" DECK PLATE)	546.00
SF1591-B-DP4	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	NLA
SF1591-E-DP4	INFINITE SERIES - TOWER DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	NLA
SF1593-DP4	INFINITE SERIES LAVATORY SENSOR FAUCET w/ INTERNAL AA BATTERY and SOLENOID for PREMIXED WATER w/ a 0.5 GPM AERATOR (Includes 4" DECK PLATE)	671.60
SF1594-B-DP4	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	491.40
SF1594-E-DP4	INFINITE SERIES - SLANT DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	491.40
SF1596-B-DP4	INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	611.50
SF1596-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	611.50
SF1597-B-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	660.70



Last Update: 15 Oct 2019 - Version 3.0

SF1597-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET w/ MIXER to ADJUST TEMPERATURE. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	660.70
Manual Valves		
Diaphragm Style	Saber - Exposed Water Closets	
S402-1.1-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.1 GPF)	194.10
S402-1.1-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTER KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.28 GPF)	505.40
S402-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.28 GPF)	194.10
S402-1.28-SC-T42-SH	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ DUAL-FLUSH SMARTHANDLE, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.28/1.0 GPF)	227.20
S402-1.28-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTER KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.28 GPF)	505.40
S402-1.6-SC-T42	EXPOSED SABER VALVE for LOW CONSUMPTION WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.6 GPF)	194.10
S402-1.6-SC-T42-SH	EXPOSED SABER VALVE for HIGH EFFICIENCY TOILET w/ DUAL-FLUSH SMARTHANDLE, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.6/1.1 GPF)	227.20
S402-1.6-SC-T42-SM	EXPOSED SABER VALVE for LOW CONSUMPTION WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTER KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.6 GPF)	505.40
S402-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (3.5 GPF)	194.10

Last Update: 15 Oct 2019 - Version 3.0

S402-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (4.5 GPF)	NLA
S414-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (4.5 GPF)	NLA
S414-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	218.10
S414-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	218.10
S414-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	218.10
Saber - Exposed Urinals		
S451-0.125-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (0.125 GPF)	194.10
S451-0.125-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (0.125 GPF)	505.40
S451-0.5-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (0.5 GPF)	194.10
S451-0.5-SC-T42-SM	EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (0.5 GPF)	505.40
S451-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.0 GPF)	194.10
S451-1-SC-T42-SM	EXPOSED SABER VALVE for URINAL w/ SIDEARM (Side Mounted Sensor Activator) SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.0 GPF)	505.40
S452-1-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.0 GPF)	194.10



Last Update: 15 Oct 2019 - Version 3.0

S452-1.5-SC-T42	EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 1.25" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.5 GPF)	194.10
Saber - Hospital Applications		
S418-6.5-SC-T42	EXPOSED SABER VALVE for use w/ CLINICAL SERVICE SINK, w/ MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" x 24" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (6.5 GPF)	216.10
S418-SC-T42	EXPOSED SABER VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT & 1.5" x 24" FLUSH CONNECTION & SWEAT ADAPTER KIT (4.5 GPF)	216.10
S455-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	616.40
S455-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF)	616.40
S455-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF)	616.40
S461-1.28-SC-T42	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	663.20
S461-1.6-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	663.20
S461-3-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	663.20
S461-SC-T42	EXPOSED SABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, MASHAERATOR BYPASS & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	NLA
Saber - Exposed Eastern Squat Toilets		
S474-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, 1.5" x 36" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTER KIT (1.28 GPF)	252.10

Last Update: 15 Oct 2019 - Version 3.0

S474-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	252.10
S474-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	252.10
S479-1.28-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.28 GPF)	262.60
S479-1.6-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.6 GPF)	262.60
S479-3-SC-T42	EXPOSED SABER VALVE for SQUAT TOILETS w/ SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (3.5 GPF)	262.60
Diaphragm Style	ULTRA Plus - Exposed Water Closets	
UP402-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.28 GPF)	188.20
UP402-1.28-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), MASHAERATOR DIAPHRAGM, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF)	499.50
UP402-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.6 GPF)	188.20
UP402-1.6-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), MASHAERATOR DIAPHRAGM, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF)	499.50
UP414-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ MASHAERATOR DIAPHRAGM, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.28 GPF)	212.90
UP414-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ MASHAERATOR DIAPHRAGM, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.6 GPF)	212.90



Last Update: 15 Oct 2019 - Version 3.0

ULTRA Plus - Exposed Urinals		
UP451-0.125-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.125 GPF)	188.20
UP451-0.125-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), MASHAERATOR DIAPHRAGM, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF)	499.50
UP451-0.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF)	188.20
UP451-0.5-SC-T42-SM	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), MASHAERATOR DIAPHRAGM, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF)	499.50
UP451-1-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER KIT (1.0 GPF)	188.20
ULTRA Plus - Hospital Applications		
UP455-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.6 GPF)	587.10
UP461-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.6 GPF)	650.40
UP625-6.5-GJ-T42	EXPOSED ULTRA Plus VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (6.5 GPF) **** OFF-SET INFORMATION REQUIRED ****	245.20
ULTRA Plus - Concealed Water Closets		
UP533-1.28-SC-T42	CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION (1.28 GPF) *** WALL SIZE REQUIRED ***	252.00



Last Update: 15 Oct 2019 - Version 3.0

UP533-1.6-SC-T42	CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION (1.6 GPF) *** WALL SIZE REQUIRED ***	252.00
UP533-3-SC-T42	CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION (3.5 GPF) *** WALL SIZE REQUIRED ***	252.00
UP534-1.28-SC-T42	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	247.80
UP534-1.6-SC-T42	CONCEALED ULTRA Plus VALVE for LOW CONSUMPTION TOILETS w/ PUSH BUTTON thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	247.80
UP537-1.28-SC-C-T42	CONCEALED ULTRA Plus VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	249.20
UP537-1.6-SC-C-T42	CONCEALED ULTRA Plus VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	249.20
UP537-3-SC-C-T42	CONCEALED ULTRA Plus VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	249.20
ULTRA Plus - Concealed Urinals		
UP571-0.125-SC-T42	CONCEALED ULTRA Plus VALVE for URINALS w/ HANDLE thru WALL, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	253.70
UP571-0.5-SC-T42	CONCEALED ULTRA Plus VALVE for URINALS w/ HANDLE thru WALL, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	253.70
UP571-1-SC-T42	CONCEALED ULTRA Plus VALVE for URINALS w/ HANDLE thru WALL, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (1 GPF) *** WALL SIZE REQUIRED ***	253.70



Last Update: 15 Oct 2019 - Version 3.0

Diaphragm Style	Flushboy ULTRA - Exposed Water Closets	
U402-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF)	180.20
U402-1.28-SC-T42-SM	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF)	491.50
U402-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF)	180.20
U402-1.6-SC-T42-SM	EXPOSED FLUSHBOY ULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF)	491.50
U402-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (3.5 GPF)	180.20
U402-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (4.5 GPF)	NLA
U414-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.28 GPF)	204.30
U414-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.6 GPF)	204.30
U414-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (3.5 GPF)	204.30
U414-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (4.5 GPF)	NLA
Flushboy ULTRA - Exposed Urinals		
U451-0.125-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF)	180.20



Last Update: 15 Oct 2019 - Version 3.0

U451-0.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF)	180.20
U451-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.0 GPF)	180.20
U452-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (4.0 GPF)	180.20
U452-1-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.0 GPF)	180.20
U452-1.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.5 GPF)	180.20
U452-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 1.25" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (3.5 GPF)	180.20
Flushboy ULTRA - Hospital Applications		
U418-6.5-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for use w/ CLINICAL SERVICE SINK, w/ SLIFIT TAILPIECE & 1.5" x 24" FLUSH CONNECTION (6.5 GPF)	216.10
U455-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (4.5 GPF)	See SABER
U455-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	573.40
U455-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	573.40
U461-1.28-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	636.30

Last Update: 15 Oct 2019 - Version 3.0

U461-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	636.30
U461-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), SLIPFIT CONNECTION & OFFSET FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	636.30
U625-GJ-T42	EXPOSED FLUSHBOY ULTRA VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (4.5 GPF) **** OFF-SET INFORMATION REQUIRED ****	225.10
Flushboy ULTRA - Exposed Eastern Squat Toilets		
U474-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	234.80
U474-2.4-SC-T42	#N/A	NLA
U474-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	234.80
U479-1.6-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTER KIT (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	245.80
U479-2.4-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTER KIT (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	NLA
U479-3-SC-T42	EXPOSED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ SLIPFIT ADJUSTABLE CONNECTION & 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET SQUAT TOILET SPUD & SWEAT ADAPTER KIT (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	245.80
Flushboy ULTRA - Concealed Eastern Squat Toilets		



Last Update: 15 Oct 2019 - Version 3.0

UP580-1.6-SC-T42	CONCEALED FLUSHBOY ULTRA Plus VALVE for SQUAT TOILETS w/ MASHAREATOR BYPASS DIAPHRAGM, 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	322.80
UP580-3-SC-T42	CONCEALED FLUSHBOY ULTRA Plus VALVE for SQUAT TOILETS w/ MASHAREATOR BYPASS DIAPHRAGM, 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	322.80
U580-1.6-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	298.70
U580-3-SC-T42	CONCEALED FLUSHBOY ULTRA VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	298.70
Bedpan Diverters - Only		
971-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ OFFSET VACUUM BREAKER ASSEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	413.10
977	BEDPAN DIVERTER, WALL SUPPORT, SPUD NUT & SPUD FLANGE (ONLY)	381.70
973-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	388.20
977-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	415.80
978-VB	BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for ADA HANDICAPPED GRAB BAR, SPUD NUT & SPUD FLANGE	425.60
Piston Style	Empire - Exposed Water Closets	
E402-1.1-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.1 GPF)	180.50



Last Update: 15 Oct 2019 - Version 3.0

E402-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.28 GPF)	180.50
E402-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.6 GPF)	180.50
E414-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (1.28 GPF)	196.70
E414-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (1.6 GPF)	196.70
Piston Style	Empire - Exposed Urinals	
E451-0.125-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (0.125 GPF)	180.50
E451-0.5-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (0.5 GPF)	180.50
E451-1-SC-T42	EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (1.0 GPF)	180.50
	Empire - Hospital Application	
E455-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT TAILPIECE, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER (34.375" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	576.10
E461-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT CONNECTION, 1.5" OFFSET FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	602.00
E463-1.6-SC-T42	EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ BEDPAN DIVERTER, SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER (26.5" Rough-in from CL of Valve to Top of WC) - ADA COMPLIANT - (1.6 GPF)	532.90
	Empire - Exposed Eastern Squat toilet	
E474-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.28 GPF)	225.80



Last Update: 15 Oct 2019 - Version 3.0

E474-1.6-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.6 GPF)	225.80
E479-1.28-SC-T42	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTER KIT(1.28 GPF)	241.00
E479-1.6-SC-T42	EXPOSED EMPIRE VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.6 GPF)	241.00
Diaphragm Style	Flushboy - Exposed Water Closets	
F402-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	NLA
F402-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	189.30
F402-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	189.30
F404-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	NLA
F404-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (3.5 GPF)	228.20
F408-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 24.5" ELBOW FLUSH CONNECTION for 1.5" BACK SPUD (4.5 GPF)	NLA
F410-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	196.20
F410-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	196.20
F410-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	196.20
F412-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & STRAIGHT STOP for TOP SPUD (4.5 GPF) **** DISCONTINUED ****	NLA



Last Update: 15 Oct 2019 - Version 3.0

F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
F414-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	222.10
F414-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	222.10
F414-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	222.10
F418-6.5-GJ-T42	EXPOSED FLUSHBOY VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT, 1.5" x 24" FLUSH CONNECTION & SWEAT ADAPTER (6.5 GPF)	228.00
F420-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
F420-1.28-GJ	#N/A	See SABER or ULTRA
F420-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	235.00
F420-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 32" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	235.00
F502-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (4.5 GPF)	NLA
F502-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT for 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD & SUPPLY on LEFT SIDE (3.5 GPF)	220.10
F602-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ HANDLE in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	NLA
F602-1.28-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.28 GPF)	NLA



Last Update: 15 Oct 2019 - Version 3.0

F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	244.80
F602-1.6-GJ-C	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.6 GPF)	244.80
F602-3-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (3.5 GPF)	244.80
F602-GJ-C	EXPOSED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (4.5 GPF)	NLA
Flushboy - Exposed Urinals		
F451-0.5-GJ	HIGH EFFICIENCY FLUSH VALVES (0.125 & 0.5 GPF) **** ONLY OFFERED in SABER & ULTRA ****	See SABER or ULTRA
F451-1-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	189.30
F452-GJ	EXPOSED FLUSHBOY VALVE for URINALS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (4.0 GPF)	See SABER or ULTRA
F452-1-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	See SABER or ULTRA
F452-1.5-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	See SABER or ULTRA
F452-3-GJ	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	See SABER or ULTRA
Flushboy - Hospital Applications		
F418-GJ	EXPOSED FLUSHBOY VALVE for use w/ CLINICAL SERVICE SINK, w/ GROUND JOINT & 1.5" x 24" FLUSH CONNECTION (4.5 GPF)	228.00
F455-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF)	See SABER or ULTRA



Last Update: 15 Oct 2019 - Version 3.0

F455-1.28-GJ	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF)	See SABER or ULTRA
F455-1.6-GJ	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	573.40
F455-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF)	573.40
F461-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF)	638.60
F461-1.28-GJ	HIGH EFFICIENCY FLUSH VALVES (1.28 GPF) **** ONLY OFFERED in SABER & ULTRA ****	See SABER or ULTRA
F461-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	638.60
F461-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	638.60
F463-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (4.5 GPF)	638.60
F463-1.6-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.6 GPF)	638.60
F463-3-GJ	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ BEDPAN DIVERter (#977), GROUND JOINT, 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) & SWEAT ADAPTOR KIT (3.5 GPF)	638.60
F625-GJ	EXPOSED FLUSHBOY VALVE for CLINICAL SERVICE SINK w/ HANDLE in FRONT, GROUND JOINT, 1.5" x 22.5" FLUSH CONNECTION w/ OFF-SET for 1.5" TOP SPUD (4.5 GPF) *** OFF-SET SIZE REQUIRED ***	230.00
Flushboy - Concealed Water Closets		
F533-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA



Last Update: 15 Oct 2019 - Version 3.0

F533-1.28-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.28 GPF) *** WALL SIZE REQUIRED ***	See ULTRA
F533-1.6-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (1.6 GPF) *** WALL SIZE REQUIRED ***	241.40
F533-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION (3.5 GPF) *** WALL SIZE REQUIRED ***	241.40
F534-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED *** (Price increases for lengths 8" and up)	231.70
F534-1.28-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	See ULTRA
F534-1.6-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	231.70
F534-3-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	231.70
F537-1.28-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	See ULTRA
F537-1.6-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	241.20
F537-3-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	241.20
F537-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA



Last Update: 15 Oct 2019 - Version 3.0

F538-GJ	CONCEALED FLUSHBOY SECURITY VALVE for IN-FLOOR DRAIN w/ PUSH BUTTON thru the WALL, GROUND JOINT, 1" FEMALE I.P. UNION OUTLET (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F540-1.28-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) ***WALL SIZE REQUIRED*** *** Use the 529 ***	Order U529
F540-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) ***WALL SIZE REQUIRED*** *** Use the 529 ***	Order F529
F540-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET w/ PUSH BUTTON, GROUND JOINT, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) ***WALL SIZE REQUIRED*** *** Use the 529 ***	Order F529
F542-GJ	CONCEALED FLUSHBOY VALVE for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING HANDLE thru WALL & TRIPLE ELBOW * DISCONTINUED *	NLA
F543-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT w/ DOUBLE ELBOW for BACK SPUD) *** DISCONTINUED ***	NLA
F544-GJ	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ OSCILLATING HANDLE thru WALL in FRONT w/ DOUBLE ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** DISCONTINUED ***	NLA
Flushboy - Concealed Urinals		
F550-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for URINALS w/ GROUND JOINT& DOUBLE ELBOW FLUSH CONNECTION for 1.25" TOP SPUD (1.25 GPF) *** DISCONTINUED ***	NLA
F571-0.125-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.125 GPF) *** WALL SIZE REQUIRED ***	See ULTRA
F571-0.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	See ULTRA
F571-1-GJ	CONCEALED FLUSHBOY VALVE for URINALS w/ HANDLE thru WALL, GROUND JOINT, 0.75" x 9" FLUSH CONNECTION w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	234.00



Last Update: 15 Oct 2019 - Version 3.0

F572-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (4.0 GPF) **** WALL SIZE REQUIRED ****	234.00
F572-0.125-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.125 GPF) * WALL SIZE REQUIRED *	See ULTRA
F572-0.5-GJ	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (0.5 GPF) *** WALL SIZE REQUIRED ***	See ULTRA
F572-1-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.0 GPF) *** WALL SIZE REQUIRED ***	234.00
F572-1.5-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.25" x 9" FLUSH CONNECTION w/ ELBOW for 1.25" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED ***	234.00
F573-GJ	CONCEALED FLUSHBOY VALVE for URINAL w/ HANDLE thru WALL, GROUND JOINT, 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" EXPOSED BACK SPUD (4.0 GPF) *** WALL SIZE REQUIRED ***	NLA
Flushboy - Concealed Eastern Squat Toilets		
F580-1.6-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	See ULTRA
F580-2.4-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (2.4 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	See ULTRA
F580-3-SC-T42	CONCEALED FLUSHBOY VALVE for SQUAT TOILETS w/ 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE TAILPIECE for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (3.5 GPF) ****FLUSH CONNECTION PACKED SEPARATELY****	See ULTRA
Flushboy - Security Application - Water Closets		
F424-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET for SINK COMBINED FIXTURE w/ PUSH BUTTON, GROUND JOINT & 1.5" ELBOW FLUSH CONNECTION **** DISCONTINUED ****	NLA

Last Update: 15 Oct 2019 - Version 3.0

F448-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for TOP SPUD (4.5 GPF) **** DISCONTINUED ****	NLA
F529-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED *** (Price increases for lengths 8" and up)	268.30
F529-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) *** WALL SIZE REQUIRED ***	268.30
F529-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) *** WALL SIZE REQUIRED *** (Price increases for lengths 8" and up)	268.30
F547-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (4.5 GPF) *** WALL SIZE REQUIRED *** (Price increases for lengths 8" and up)	230.30
F547-1.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINAL w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & 9" FLUSH CONNECTION w/ ELBOW for 1.5" CONCEALED BACK SPUD (1.5 GPF) *** WALL SIZE REQUIRED *** (Price increases for lengths 8" and up)	230.30
F623-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION, ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (4.5 GPF)	NLA
F623-1.28-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.28 GPF) **** WALL SIZE REQUIRED ****	NLA
F623-1.6-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED ****	289.30
F623-3-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	289.30

Last Update: 15 Oct 2019 - Version 3.0

F901-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (4.5 GPF) **** DISCONTINUED ****	NLA
F901-1.6-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (1.6 GPF) **** DISCONTINUED ****	NLA
F901-3-GJ	CONCEALED FLUSHBOY SECURITY VALVE for COMBINATION FIXTURE w/ PUSH BUTTON thru WALL & BACK SPLASH, GROUND JOINT, 1.5" x 19" FLUSH CONNECTION w/ ELBOW & 1.5" CONCEALED BACK SPUD CONNECTION (3.5 GPF) **** DISCONTINUED ****	NLA
Flushboy - Security Application - Urinals		
F575-0.5-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
F575-1-GJ	EXPOSED FLUSHBOY SECURITY VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	191.70
F576-0.5-GJ	CONCEALED FLUSHBOY SECURITY VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (0.5 GPF) **** WALL SIZE REQUIRED ***	NLA
F576-1-GJ	CONCEALED FLUSHBOY SECURITY VALVE for URINALS w/ PUSH BUTTON thru WALL, GROUND JOINT & 0.75" x 9" w/ ELBOW for 0.75" CONCEALED BACK SPUD (1.0 GPF) **** WALL SIZE REQUIRED ***	241.30
Flushboy - Speciality Applications		
F651-0.125-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.125 GPF)	NLA
F651-0.5-GJ-C	EXPOSED FLUSHBOY VALVE for HIGH EFFICIENCY URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (0.5 GPF)	NLA
F651-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for 0.75" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	NLA

Last Update: 15 Oct 2019 - Version 3.0

F652-1-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.0 GPF)	NLA
F652-GJ-C	EXPOSED FLUSHBOY VALVE for URINALS w/ 3" OSCILLATING DISC in FRONT, GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" TOP SPUD w/ SUPPLY LINE on RIGHT SIDE (1.5 GPF)	NLA
F670-GJ	EXPOSED FLUSHBOY VALVE for RIM FLOOR DRAIN w/ 0.5" PUSH BUTTON in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION OUTLET w/ SUPPLY LINE on RIGHT SIDE (4.0 GPF)	333.30
F689-GJ	CONCEALED FLUSHBOY for FLOOR MOUNTED WATER CLOSET w/ OSCILLATING FOOTPEDAL, 1" FEMALE I.P. UNION & 1.5" TOP SPUD CONNECTION (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
Diaphragm Style	Presto - Water Closets	
P402-1.28	EXPOSED PRESTO VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.28 GPF)	NLA
P402-1.6	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	189.90
P402-1.6-G-T42	EXPOSED PRESTO VALVE for LOW CONSUPTION WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTER KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF)	189.90
P402-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	189.90
P402-3-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTER KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF)	189.90
P402	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	189.90
P402-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTER KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	189.90
P404	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION w/ ELBOW for 1.5" BACK SPUD (4.5 GPF)	226.70
P410	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF) *** DISCONTINUED -> USE FLUSHBOY Version ***	194.90



Last Update: 15 Oct 2019 - Version 3.0

P410-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (1.6 GPF) *** DISCONTINUED -> USE FLUSHBOY Version ***	194.90
P410-3	EXPOSED PRESTO VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 13.5" FLUSH CONNECTION w/ TOP SPUD (3.5 GPF) *** DISCONTINUED -> USE FLUSHBOY Version ***	194.90
P412	#N/A	#N/A
P414	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF)	NLA
P414-1.6	EXPOSED PRESTO VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (1.6 GPF)	205.00
P414-3	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for TOP SPUD (3.5 GPF)	205.00
P451-1	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	189.90
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	218.90
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	218.90
P578-1.6-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	218.90
P578-3-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	218.90
Diaphragm Style	Presto - Urinals	
P451-0.5	EXPOSED PRESTO VALVE for HIGH EFFICIENCY URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD (0.5 GPF)	NLA
P451-1	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	189.90
P452	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	189.90



Last Update: 15 Oct 2019 - Version 3.0

P452-1	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.0 GPF)	189.90
P453	EXPOSED PRESTO VALVE for URINAL w/ GROUND JOINT & 1.5" x 13.5" FLUSH CONNECTION for TOP SPUD (4.5 GPF) **** DISCONTINUED ****	#N/A

Hydrualically Activated

Piston Style	Empire Hydro-Flush - Concealed Water Closets	
E1233-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	274.50
E1233-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, SLIPFIT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	274.50
E1234-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (1.28 GPF) *** WALL SIZE REQUIRED ***	295.00
E1234-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	295.00
E1246-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (1.28 GPF) *** WALL SIZE REQUIRED ***	290.80
E1246-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for WATER CLOSET, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	290.80
Piston Style	Empire Hydro-Flush - Concealed Urinals	



Last Update: 15 Oct 2019 - Version 3.0

E1247-1.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for URINAL, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTER (1.5 GPF) *** WALL SIZE REQUIRED ***	355.20
E1271-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (1.0 GPF) **** WALL SIZE REQUIRED ****	308.10
E1271-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for URINALS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, SLIPFIT TAILPIECE & SWEAT ADAPTER (0.5 GPF) **** WALL SIZE REQUIRED ****	308.10
Piston Style	Empire Hydro-Flush - Security Applications	
E1201-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD (1.28 GPF) *** NO LONGER AVAILABLE - USE E1223 ***	See E1223
E1201-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 18" FLUSH CONNECTION for BACK SPUD (1.28 GPF) *** NO LONGER AVAILABLE - USE E1223 ***	See E1223
E1223-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	377.70
E1223-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	377.70
E1229-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	377.70
E1229-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE WALL, PISTON OPERATED w/ 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	377.70

Last Update: 15 Oct 2019 - Version 3.0

E1276-0.125-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFT CONNECTION & SWEAT ADAPTER (0.125 GPF) *** WALL SIZE REQUIRED ***	399.90
E1276-0.5-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFT CONNECTION & SWEAT ADAPTER (0.5 GPF) *** WALL SIZE REQUIRED ***	399.90
E1276-1-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY URINALS, PISTON OPERATED w/ SLIPFT CONNECTION & SWEAT ADAPTER (1.0 GPF) *** WALL SIZE REQUIRED ***	399.90
Piston Style	Empire Hydro-Flush - Specialty Applications	
E1238-1.28-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for FLUSH RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTER (1.28 GPF) *** WALL SIZE REQUIRED ***	269.40
E1238-1.6-SC-T42	CONCEALED EMPIRE HYDRO-FLUSH VALVE for FLUSH RIM FLOOR DRAINS, PISTON OPERATED w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	269.40
Diaphragm Style	Flushboy Hydro-Flush - Water Closets	
F1201-1.6-GJ-T42	#N/A	Use F1223 or U1223
F1201-3-GJ-T42	#N/A	Use F1223 or U1223
F1223-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.28 GPF) **** WALL SIZE REQUIRED ****	See ULTRA
F1223-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZE REQUIRED ****	475.40



Last Update: 15 Oct 2019 - Version 3.0

F1223-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	475.40
F1223-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1225-GJ-T42	#N/A	NLA
F1229-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF) **** WALL SIZE REQUIRED ****	419.70
F1229-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF) **** WALL SIZE REQUIRED ****	419.70
F1229-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1233-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZE REQUIRED ****	See ULTRA
F1233-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZE REQUIRED ****	283.60
F1233-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZE REQUIRED ****	283.60



Last Update: 15 Oct 2019 - Version 3.0

F1233-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZE REQUIRED ****	283.60
F1234-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" BACK SPUD **** SEE ULTRA VERSION ****	See ULTRA
F1234-1.6-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	360.30
F1234-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	334.80
F1234-3-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED ***	360.30
F1234-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED ***	334.80
F1234-GJ-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1238-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED ***	283.60
F1238-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for RIM FLOOR DRAINS w/ PUSH BUTTON HYDR-FLUSH ACTUATOR & SWEAT ADAPTER (4.5 GPF) *** WALL SIZE REQUIRED ***	283.60
F1240-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) **** WALL SIZE REQUIRED ****	403.60
F1240-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (3.5 GPF) **** WALL SIZE REQUIRED ****	403.60

Last Update: 15 Oct 2019 - Version 3.0

F1240-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WALL HUNG SECURITY WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW CONNECTION, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1241-1.6-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (1.6 GPF)	422.00
F1241-3-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (3.5 GPF)	422.00
F1241-GJ-T42	EXPOSED HYDRO-FLUSH SECURITY VALVE for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION for TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (4.5 GPF)	NLA
F1242-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD (1.28 GPF) *** DISCONTINUED ***	NLA
F1242-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD (1.6 GPF) *** DISCONTINUED ***	NLA
F1242-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD (3.5 GPF) *** DISCONTINUED ***	NLA
F1242-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" ELBOW FLUSH CONNECTION for EXPOSED TOP SPUD (4.5 GPF) *** DISCONTINUED ***	NLA
F1246-1.28-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
F1246-1.6-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
F1246-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED ***	NLA



Last Update: 15 Oct 2019 - Version 3.0

F1246-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION FOR 1.5" EXPOSED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1247-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.5 GPF) *** WALL SIZE REQUIRED ***	377.40
F1247-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED ***	377.40
F1248-1.5-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (1.5 GPF) **** DISCONTINUED ****	422.00
F1248-3-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINAL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (3.5 GPF) **** DISCONTINUED ****	422.00
F1271-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.125 GPF) **** WALL SIZE REQUIRED ****	See ULTRA
F1271-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.5 GPF) **** WALL SIZE REQUIRED ****	See ULTRA
F1271-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 0.75" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.0 GPF) **** WALL SIZE REQUIRED ****	296.00
F1272-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.125 GPF) **** WALL SIZE REQUIRED ****	See ULTRA
F1272-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for HIGH EFFICIENCY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.5 GPF) **** WALL SIZE REQUIRED ****	See ULTRA



Last Update: 15 Oct 2019 - Version 3.0

F1272-1.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.5 GPF) **** WALL SIZE REQUIRED ****	296.00
F1272-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.0 GPF) **** WALL SIZE REQUIRED ****	296.00
F1272-3-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) **** WALL SIZE REQUIRED ****	296.00
F1272-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, ELBOW FLUSH CONNECTION for 1.25" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) **** WALL SIZE REQUIRED ****	NLA
F1275-1-GJ-T42	EXPOSED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER KIT (1.0 GPF)	418.00
F1276-0.125-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGH-IN LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.125 GPF) *** WALL SIZE REQUIRED ***	NLA
F1276-0.5-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGH-IN LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (0.5 GPF) *** WALL SIZE REQUIRED ***	NLA
F1276-1-GJ-T42	CONCEALED HYDRO-FLUSH VALVE for SECURITY URINALS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, TWIN BODY OPENINGS for ROUGH-IN LEFT or RIGHT, 0.75 CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.0 GPF) *** WALL SIZE REQUIRED ***	384.20
Rex - Water Closet & Urinals + Presto 577s		
R401-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	164.10



Last Update: 15 Oct 2019 - Version 3.0

R401-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	164.10
R401-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP (1.6 GPF)	164.10
R401-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	164.10
R401-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (3.5 GPF)	164.10
R401-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP (3.5 GPF)	164.10
R401-3-G-NF	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)	164.10
R402	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (4.5 GPF) *** DISCONTINUED ***	NLA
R402-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	166.67
R402-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	166.67
R402-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	166.67
R402-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	166.67
R402-1.6-NVB	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (1.6 GPF)	166.67
R402-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD (3.5 GPF)	166.67



Last Update: 15 Oct 2019 - Version 3.0

R402-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	166.67
R402-3-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (3.5 GPF)	166.67
R402-NVB	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD Less VACUUM BREAKER (4.5 GPF)	166.67
R403-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	194.60
R403-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD (1.6 GPF)	194.60
R404-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	194.60
R404-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	194.60
R407-1.6	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (1.6 GPF)	208.50
R407-3	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT & 1.5" x 22.5" FLUSH CONNECTION for 1.5" BACK SPUD (3.5 GPF)	208.50
R411-1.6-J-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)	164.10
R411-3-J-NF	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)	164.10
R451-0.5	EXPOSED REX VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (0.5 GPF)	168.90
R451-1	EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)	168.90



Last Update: 15 Oct 2019 - Version 3.0

R526-1.6-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) ...	155.00
R526-3-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) ...	155.00
R527-1.6-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF)...	157.20
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF)...	157.20
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF)...	157.20
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	218.90
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	218.90
P578-1.6-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	218.90
P578-3-NF	PRESTO VALVE w/ BUILT-IN INTERNAL STOP for WATER CLOSETS LESS SPUD NUT & FLANGE w/ 1.5" STRAIGHT FLUSH CONNECTION (1.6 GPF)	218.90
Suffix Letter	Valve Variation Descriptions	Added Charge
A	SCREWDRIVER OPERATED STOP	\$0.00
AM	Ultra Violet-SHIELD ANTIMICROBIAL COATED HANDLE	\$9.75
B	1/2" PUSHBUTTON	\$0.00
C	3" OSCILLATING DISC	\$22.15
E	WALL BUMPER (for SEAT w/ COVER or CLOSED FRONT SEAT w/o COVER)	\$39.00
EFE	ELECTRO-FLUSH EQUIPMENT	\$265.85
F	2 WALL BUMPERS (for OPEN FRONT STYLE SEAT w/o COVER)	\$78.00
G	BUMPER on ANGLE STOP (for SEAT w/o COVER)	\$0.00
GJ	GROUND JOINT TAILPIECE - 2" in OVERALL LENGTH	\$0.00



Last Update: 15 Oct 2019 - Version 3.0

GJ1	GROUND JOINT TAILPIECE - 3" in OVERALL LENGTH	\$0.00
GJ2	GROUND JOINT TAILPIECE - 4" in OVERALL LENGTH	\$0.00
H	FLUSH CONNECTION for 1.5" SPUD	\$0.00
J	PROTECTING CAP on CONTROL STOP	\$0.00
K	1.5" FEMALE I.P. UNION OUTLET	\$66.90
K-RB	1.5" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$60.30
L	ACTUATOR POSITIONED on FRONT of VAVLE (HANDLE, PUSH BUTTON or 3" OSCILLATING DIS	\$22.15
LCS	Less CONTROL STOP	(\$17.97)
LEC	Less ELBOW CONNECTION	(\$22.26)
LFC	Less FLUSH COMMECTION	(\$10.40)
LH	Less HANDLE ASSEMBLY	\$0.00
LHR	LEFT HAND ROUGH-IN (for TrueSense Valves)	\$0.00
LOGO	CUSTOMIZED COVER CAP for SABER	\$8.30
LTP	LESS TRANSFORMER PLUG-IN	(\$10.92)
M	1.25" FEMALE I.P. UNION OUTLET	\$66.90
M-RB	1.25" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$60.30
NF	LESS SPUD NUT & SPUD FLANGE	\$0.00
NVB	LESS VACUUM BREAKER (deduct from price)	(\$9.19)
O	FLUSH CONNECTION for 1.25" SPUD	\$0.00
R-CP	WHEEL HANDLE OPERATED STOP in CHROME PLATE	\$13.45
S	0.75" ANGLE STOP	\$0.00
SC	ADJUSTABLE JOINT CONNECTION ("SLIPFIT" CONNECTION)	\$0.00
SH	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in ENGLISH	\$15.15
SH-S	SMARTHANDLE ASSEMBLY (w/ Water Saving Dual Flush Feature & Germ Resistant Coating) w/ WALL PLATE in SPANISH	\$15.15
SM	SIDEARM BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT for HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	\$311.20
SQT8	1.5" x 36" x 8" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK IN	\$21.85
T4	FLUSH CONNECTION for 0.75" SPUD	\$0.00
T5	NON-HOLD-OPEN FEATURE	\$0.00
T6	WALL FLANGE w/ ALLEN HEAD SET SCREW	\$12.25
T7	COVERING TUBE (6" in LENGTH)	\$0.00
T9	VANDAL PROOFING for PUSH BUTTON, OSCILLATING DISC, HANDLE, or FOOTPEDAL, as Applicable (for Concealed Valves Only)	\$9.90



Last Update: 15 Oct 2019 - Version 3.0

T26	0.5" ANGLE STOP	\$0.00
T27	0.75" STRAIGHT STOP	\$0.00
T28	OSCILLATING HANDLE	\$0.00
T32	0.75" FEMALE I.P. UNION OUTLET	\$23.50
T32-RB	0.75" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$21.30
T33	1.5" x 5" CHROME PLATED FLUSH ELBOW	\$23.85
T34	1.25" x 5" CHROME PLATED FLUSH ELBOW	\$23.85
T36	1.5" x 5.5" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$42.55
T36-8	1.5" x 8" SOLID RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$52.80
T38	TRAP PRIMER ATTACHMENT in FLUSH CONNECTION	\$50.55
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	\$0.00
T42	SWEAT ADAPTOR KIT for STOP (EXPOSED VALVES)	\$0.00
T45	1" FEMALE I.P. UNION OUTLET	\$42.25
T45-RB	1" FEMALE I.P. UNION OUTLET in ROUGH BRASS	\$38.15
T46	1.5" x 5.5" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$67.70
T46-8	1.5" x 8" SPLIT RING WALL SUPPORT ASSEMBLY for FLUSH CONNECTION	\$74.25
T48	VALVE fitted for use w/ an #988 ACCESS PANEL	\$0.00
T98	LOW PRESSURE EQUIPMENT	\$16.20
T106	MASHAERATOR - SELF CLEANING BYPASS	\$8.00
TMO	TRUE MECHANICAL OVERRIDE BUTTON	\$32.75
VPS	VANDAL PROOF VERSION of CONTROL STOP	\$0.00
W	1" ANGLE STOP	\$0.00
X	1.25" STRAIGHT STOP	\$26.40
Y	1" STRAIGHT STOP	\$18.75
Z	1.25" ANGLE STOP	\$25.35