



Last Update: 25 Jul 2022 - Version 3

| Model # | Valve Description | List Price |
|---|---|------------|
| Electronic (Hands-Free) | | |
| Sensor Faucets | | |
| Infinite Series - Battery or Transformer | | |
| SF1596-B-DP4 | INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE) | 761.10 |
| SF1596-E-DP4 | INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE) | 761.10 |
| SF1598-B-DP4 | INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE) | 788.40 |
| SF1598-E-DP4 | INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE) | 788.40 |
| Battery Powered | | |
| TruEDGE - Exposed Water Closets/Urinals | | |
| GP1402-1.1-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF) | 809.60 |
| GP1402-1.28-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF) | 809.60 |
| GP1402-1.6-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 809.60 |
| GP1402-1.6-SC-T42-DF-TS | EXPOSED TruEDGE Plus VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ AUTOMATIC DUAL FLUSH FEATURE, TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6/1.1 GPF) | 812.70 |
| GP1402-3-GJ-T42 | EXPOSED EDGE Plus VALVE for WATER SAVER WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ 1" GROUND JOINT ANGLE STOP, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF) | 809.60 |
| GP1451-0.125-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF) | 809.60 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|-------------------------|--|----------|
| GP1451-0.5-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.5 GPF) | 809.60 |
| GP1451-1-SC-T42-TS | EXPOSED TruEDGE Plus VALVE for LOW CONSUMPTION URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1 GPF) | 809.60 |
| Battery Powered | TruEDGE - Retro-Fit Water Closets/Urinals | |
| GP3003A-0.125 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.125 GPF) | 656.60 |
| GP3003A-0.5 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (0.5 GPF) | 656.60 |
| GP3003A-1 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA URINAL VALVES (1.0 GPF) | 656.60 |
| GP3003A-1.28 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.28 GPF) | 656.60 |
| GP3003A-1.6 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & FLUSHBOY ULTRA WATER CLOSET VALVES (1.6 GPF) | 656.60 |
| GP3003A-1.6-DF | TruEDGE V2.0 HANDS-FREE BATTERY POWERED, SENSOR OPERATED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY ULTRA WATER CLOSET VALVES (1.6/1.1 GPF) | 702.50 |
| GP3003A-3 | TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF) | 656.60 |
| Battery Powered | TruEDGE - Hospital Application | |
| GP1455-1.6-SC-T42-DF-TS | EXPOSED TruEDGE VALVE for LOW CONSUMPTION TOILETS (BATTERY POWERED, SENSOR ACTIVATED & AUTOMATIC DUAL-FLUSH) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6/1.1 GPF) | 1,105.40 |
| GP1455-1.28-SC-T42-TS | EXPOSED TruEDGE VALVE for HIGH EFFICIENCY TOILETS (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF) | 1,061.30 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|----------------------------------|---|----------|
| GP1455-1.6-SC-T42-TS | EXPOSED TruEDGE VALVE for LOW CONSUMPTION TOILETS (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF) | 1,061.30 |
| GP1461-1.6-SC-T42-DF-TS | EXPOSED TruEDGE VALVE for LOW CONSUMPTION TOILETS (BATTERY POWERED, SENSOR ACTIVATED & AUTOMATIC DUAL-FLUSH) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" OFFSET FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6/1.1 GPF) | 1,115.60 |
| GP1461-1.28-SC-T42-TS | EXPOSED TruEDGE VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" OFFSET FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF) | 1,091.40 |
| GP1461-1.6-SC-T42-TS | EXPOSED TruEDGE VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR ACTIVATED) w/ BEDPAN DIVERTER (#977), 1" TruStop CONTROL STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER KIT & 1.5" OFFSET FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF) | 1,091.40 |
| Battery Powered Retro-Fit | SideArm - Mechanical Side Mounted Retro-Fit Kits | |
| SA6007A | SIDEARM SIDE MOUNTED BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL DELANY EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs) | 383.80 |
| SA6007A-SZ | SIDEARM SIDE MOUNTED BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL SLOAN & ZURN EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs) | 383.80 |
| SA6007A-P | SIDEARM SIDE MOUNTED BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL PRESTO EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs) | 420.70 |
| Battery Powered w/ Valve | TruSaber w/ SideArm (Water Closets/Urinals) | |
| S402-1.1-SC-T42-SM-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF) | 624.50 |
| S402-1.28-SC-T42-SM-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF) | 624.50 |
| S402-1.6-SC-T42-SM-TS | EXPOSED TruSABER VALVE for LOW CONSUMPTION TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 624.50 |
| S451-0.125-SC-T42-SM-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.125 GPF) | 624.50 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---------------------------------|---|--------|
| S451-0.5-SC-T42-SM-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF) | 624.50 |
| S451-1-SC-T42-SM-TS | EXPOSED TruSABER VALVE for LOW CONSUMPTION, URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF) | 624.50 |
| Battery Powered w/ Valve | Tru ULTRA Plus w/ SideArm (Water Closets/Urinals) | |
| UP402-1.1-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.1 GPF) | 615.70 |
| UP402-1.28-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.28 GPF) | 615.70 |
| UP402-1.6-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION TOILETS w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.6 GPF) | 615.70 |
| UP451-0.125-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.125 GPF) | 615.70 |
| UP451-0.5-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.5 GPF) | 615.70 |
| UP451-1-SC-T42-SM-TS | EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1 GPF) | 615.70 |
| Battery Powered w/ Valve | ULTRA w/ SideArm (Water Closets/Urinals) | |
| U402-1.28-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF) | 605.70 |
| U402-1.6-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF) | 605.70 |
| U402-3-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for WATER SAVER WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (3.5 GPF) | 605.70 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|-------------------------|---|--------|
| U451-0.125-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF) | 605.70 |
| U451-0.5-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF) | 605.70 |
| U451-1-SC-T42-SM-TS | EXPOSED TruULTRA VALVE for LOW CONSUMPTION URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1 GPF) | 605.70 |
| E402-1.28-SC-T42-SM-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF) | 617.00 |
| E402-1.6-SC-T42-SM-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 617.00 |
| E451-0.125-SC-T42-SM-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF) | 617.00 |
| E451-1-SC-T42-SM-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1 GPF) | 617.00 |

Manual Valves

| | | |
|------------------------|---|--------|
| Diaphragm Style | Tru SmartHandle - Dual Flush | |
| S402-1.28-SC-T42-SH-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ DUAL-FLUSH SMARTHANDLE, TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (1.28/1.0 GPF) | 290.00 |
| Diaphragm Style | TruSaber - Exposed Water Closets/Urinals | |
| S402-1.1-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF) | 240.70 |
| S402-1.28-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF) | 240.70 |
| S402-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for LOW CONSUMPTION TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 240.70 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|------------------------|--|--------|
| S402-3-SC-T42-TS | EXPOSED TruSABER VALVE for WATER SAVER TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF) | 240.70 |
| S414-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 276.60 |
| S451-0.125-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (0.125 GPF) | 240.70 |
| S451-0.5-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF) | 240.70 |
| S451-1-SC-T42-TS | EXPOSED TruSABER VALVE for LOW CONSUMPTION URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (1 GPF) | 240.70 |
| Diaphragm Style | TruSaber - Exposed Eastern Squat Toilets | |
| S474-1.28-SC-T42-TS | EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF) | 312.00 |
| S474-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF) | 312.00 |
| S479-1.28-SC-T42-TS | EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.28 GPF) | 315.80 |
| S479-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.6 GPF) | 315.80 |
| Diaphragm Style | TruULTRA Plus - Exposed Water Closets/Urinals | |
| UP402-1.1-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.1 GPF) | 231.90 |
| UP402-1.28-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.28 GPF) | 231.90 |
| UP402-1.6-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.6 GPF) | 231.90 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|------------------------|--|--------|
| UP451-0.125-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.125 GPF) | 231.90 |
| UP451-0.5-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.5 GPF) | 231.90 |
| UP451-1-SC-T42-TS | EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1 GPF) | 231.90 |
| Diaphragm Style | TruULTRA - Exposed Water Closets/Urinals | |
| U402-1.28-SC-T42-TS | EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF) | 221.90 |
| U402-1.6-SC-T42-TS | EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF) | 221.90 |
| U402-3-GJ-T42 | EXPOSED FLUSHBOY ULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF) | 220.10 |
| U402-3-SC-T42-TS | EXPOSED TruULTRA VALVE for WATER SAVER WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (3.5 GPF) | 221.90 |
| U451-0.125-SC-T42-TS | EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF) | 221.90 |
| U451-0.5-SC-T42-TS | EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF) | 221.90 |
| U451-1-SC-T42-TS | EXPOSED TruULTRA VALVE for LOW CONSUMPTION URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.0 GPF) | 221.90 |
| U451-1-GJ-T42 | EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF) | 220.10 |
| Piston Style | Empire - Exposed Water Closets/Urinals | |
| E402-1.1-SC-T42-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.1 GPF) | 233.20 |
| E402-1.28-SC-T42-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.28 GPF) | 233.20 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|----------------------|---|--------|
| E402-1.6-SC-T42-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.6 GPF) | 233.20 |
| E451-0.125-SC-T42-TS | EXPOSED Tru EMPIRE VALVE for URINAL, PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (0.125 GPF) | 233.20 |
| E451-1-SC-T42-TS | EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (1.0 GPF) | 233.20 |
| Piston Style | Empire - Exposed Eastern Squat toilet | |
| E474-1.28-SC-T42-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ TruStop 1" ANGLE STOP, 1.5" x 36" FLUSH CONNECTION for TOP SPUD, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.28 GPF) | 339.40 |
| E479-1.28-SC-T42-TS | EXPOSED EMPIRE VALVE for HIGH EFFICIENCY SQUAT TOILETS w/ TruStop 1" ANGLE STOP, 1.5" x 36" ELBOW FLUSH CONNECTION & SHORT PATTERN VACUUM BREAKER for BACK INLET, SLIPFIT CONNECTION & SWEAT ADAPTER KIT (1.28 GPF) | 287.10 |

Concealed - Manual Valves

| Concealed Manual | ULTRA Plus - Concealed Water Closets/Urinals | |
|-----------------------------|---|--------|
| UP533-1.6-SC-T42-TS-1W->7W | CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 1" to 7" WALL SIZES (1.6 GPF) *** WALL SIZE REQUIRED *** | 318.52 |
| UP533-1.6-SC-T42-TS-8W+ | CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 8" WALL SIZES & HIGHER (1.6 GPF) *** WALL SIZE REQUIRED *** | 347.10 |
| UP533-3-SC-T42-TS-1W->7W | CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 1" to 7" WALL SIZES (3.5 GPF) *** WALL SIZE REQUIRED *** | 318.52 |
| UP533-3-SC-T42-TS-8W+ | CONCEALED FLUSHBOY ULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 8" WALL SIZES & HIGHER (3.5 GPF) *** WALL SIZE REQUIRED *** | 347.10 |
| UP534-1.28-SC-T42-TS-1W->7W | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.28 GPF) | 337.78 |
| UP534-1.28-SC-T42-TS-8W+ | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.28 GPF) | 361.90 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---|--|--------|
| UP534-1.6-SC-T42-TS-1W->7W | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.6 GPF) | 342.60 |
| UP534-1.6-SC-T42-TS-8W+ | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.6 GPF) | 361.90 |
| UP534-3-SC-T42-TS-1W->7W | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.6 GPF) | 326.30 |
| UP534-3-SC-T42-TS-8W+ | CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.6 GPF) | 361.90 |
| Concealed Manual | ULTRA Plus - Concealed Eastern Squat Toilets | |
| UP580-1.6-SC-T42 | CONCEALED FLUSHBOY ULTRA Plus VALVE for SQUAT TOILETS w/ MASHAERATOR BYPASS DIAPHRAGM, 1.5" x 36" ELBOW FLUSH CONNECTION, SLIPFIT ADJUSTABLE CONNECTION for 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) ****FLUSH CONNECTION PACKED SEPARATELY**** | 439.20 |
| Hospital Application - Manual Valves | | |
| Bedpan Diverters - Only | | |
| 971-VB | BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for 26-1/2" ROUGH-IN & 1-1/2" OFFSET, SPUD NUT & SPUD FLANGE | 519.10 |
| 977 | BEDPAN DIVERTER, WALL SUPPORT, SPUD NUT & SPUD FLANGE (ONLY) | 461.70 |
| 973-VB | BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for 26-1/2" ROUGH-IN, SPUD NUT & SPUD FLANGE | 501.40 |
| 977-VB | BEDPAN DIVERTER VALVE ASSEMBLY w/ VACUUM BREAKER ASSEMBLY for 34-3/8" ROUGH-IN, SPUD NUT & SPUD FLANGE | 576.00 |
| TruSaber - Hospital Applications | | |
| S418-6.5-SC-T42-TS | EXPOSED TruSABER VALVE for use w/ CLINICAL SERVICE SINK, w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" x 24" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (6.5 GPF) | 276.80 |
| S455-6.5-SC-T42-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (6.5 GPF) ** For USE w/ CLINICAL SERVICE SINK ** | 776.50 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---|---|--------|
| S455-1.28-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF) | 755.00 |
| S455-1.28-SC-T42-SH-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD & SMARTHANDLE (for 34.375" ROUGH-Ins) (1.28/1.0 GPF) | 821.30 |
| S455-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF) | 755.00 |
| S455-3-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF) | 755.00 |
| S455-SC-T42-TS | EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF) | 755.00 |
| S461-1.28-SC-T42-TS | EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1-1/2" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF) | 810.40 |
| S461-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1-1/2" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF) | 810.40 |
| S463-1.28-SC-T42-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.28 GPF) | 736.90 |
| S463-1.28-SC-T42-SH-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, NON-HOLD OPEN FEATURE, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.28/1.0 GPF) | 754.80 |
| S463-1.6-SC-T42-TS | EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.6 GPF) | 736.90 |
| Security Application - Manual & Hydraulic Valves | | |
| Concealed Manual | ULTRA Plus - Security Application - Water Closets | |
| UP529-1.28-SC-T42-TS-1W->7W | CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 1" & 7" (1.28 GPF) *** WALL SIZE REQUIRED *** | 347.20 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---|---|--------|
| UP529-1.28-SC-T42-TS-8W+ | CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 8" & HIGHER (1.28 GPF) *** WALL SIZE REQUIRED *** | 377.96 |
| UP529-1.6-SC-T42-TS-1W->7W | CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 1" & 7" (1.6 GPF) *** WALL SIZE REQUIRED *** | 347.20 |
| UP529-1.6-SC-T42-TS-8W+ | CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 8" & HIGHER (1.6 GPF) *** WALL SIZE REQUIRED *** | 377.96 |
| Concealed Hydraulic | | |
| ULTRA Plus Hydro-Flush - Water Closets | | |
| UP1223-1.28-SC-T42-TS-1W->5W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) *** | 512.90 |
| UP1223-1.28-SC-T42-TS-6W & 7W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 6" & 7" **** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) *** | 532.40 |
| UP1223-1.28-SC-T42-TS-8W->11W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 8" to 11" **** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) *** | 556.76 |
| UP1223-1.6-SC-T42-TS-1W->5W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) *** | 512.90 |
| UP1223-1.6-SC-T42-TS-6W & 7W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 6" & 7" **** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) *** | 532.40 |
| UP1223-1.6-SC-T42-TS-8W->11W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 8" to 11" **** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) *** | 556.76 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|-------------------------------|---|--------|
| UP1223-3-SC-T42-TS-1W->5W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (3.5 GPF)</p> <p>**** WALL SIZEs 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** UP1234-3-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) ***</p> | 512.90 |
| UP1223-3-SC-T42-TS-6W & 7W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF)</p> <p>**** WALL SIZEs 6" & 7" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) ***</p> | 532.40 |
| UP1223-3-SC-T42-TS-8W->11W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF)</p> <p>**** WALL SIZEs 8" to 11" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) ***</p> | 556.76 |
| UP1229-1.28-SC-T42-TS-1W->6W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.28 GPF) **** WALL SIZEs 1" to 6" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.28-SC-TS-NS (The Valve) & 1229K-6W (The Installation Kit) ***</p> | 533.19 |
| UP1229-1.28-SC-T42-TS-7W & 8W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.28 GPF) **** WALL SIZEs 7" & 8" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.28-SC-TS-NS (The Valve) & 1229K-8W (The Installation Kit) ***</p> | 558.58 |
| UP1229-1.28-SC-T42-TS-9W->12W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.28 GPF) **** WALL SIZEs 9" to 12" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.28-SC-TS-NS (The Valve) & 1229K-12W (The Installation Kit) ***</p> | 583.97 |
| UP1229-1.6-SC-T42-TS-1W->6W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.6 GPF) **** WALL SIZEs 1" to 6" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.6-SC-TS-NS (The Valve) & 1229K-6W (The Installation Kit) ***</p> | 533.19 |
| UP1229-1.6-SC-T42-TS-7W & 8W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.6 GPF) **** WALL SIZEs 7" & 8" **** ** SHIPPED as 2 SEPARATE ITEMS:</p> <p>** UP1234-1.6-SC-TS-NS (The Valve) & 1229K-8W (The Installation Kit) ***</p> | 558.58 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|------------------------------|--|--------|
| UP1229-1.6-SC-T42-TS-9W->12W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for FIXTURE WALL, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION TAILPIECE (1.6 GPF) **** WALL SIZES 9" to 12" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1229K-12W (The Installation Kit) ***</p> | 583.97 |
|------------------------------|--|--------|

Hydrualically Activated

| Concealed Hyrdualic | ULTRA Plus Hydro-Flush - Water Closets/Urinals | |
|-------------------------------|---|--------|
| UP1233-1.28-SC-T42-TS-1W->6W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION), & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZES 1" to 6" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1233K-6W (The Installation Kit) ***</p> | 406.90 |
| UP1233-1.28-SC-T42-TS-7W & 8W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION), & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZES 7" & 8" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1233K-8W (The Installation Kit) ***</p> | 406.90 |
| UP1233-1.28-SC-T42-TS-9W->12W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION),& SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.28 GPF) **** WALL SIZES 9" to 12" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1233K-12W (The Installation Kit) ***</p> | 452.70 |
| UP1233-1.6-SC-T42-TS-1W->6W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION), & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 1" to 6" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1233K-6W (The Installation Kit) ***</p> | 406.90 |
| UP1233-1.6-SC-T42-TS-7W & 8W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION), & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 7" & 8" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1233K-8W (The Installation Kit) ***</p> | 406.90 |
| UP1233-1.6-SC-T42-TS-9W->12W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1" FEMALE I.P. UNION OUTLET (NO FLUSH CONNECTION),& SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 9" to 12" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1233K-12W (The Installation Kit) ***</p> | 406.90 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|-------------------------------|--|--------|
| UP1234-1.1-SC-T42-TS-1W->6W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.1 GPF) *** WALL SIZES 1" to 6" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) *** | 437.51 |
| UP1234-1.1-SC-T42-TS-7W & 8W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.1 GPF) *** WALL SIZES 7" & 8" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) *** | 437.51 |
| UP1234-1.1-SC-T42-TS-9W->12W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.1 GPF) *** WALL SIZES 9" to 12" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) *** | 450.10 |
| UP1234-1.28-SC-T42-TS-1W->6W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.28 GPF) *** WALL SIZES 1" to 6" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) *** | 437.51 |
| UP1234-1.28-SC-T42-TS-7W & 8W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.28 GPF) *** WALL SIZES 7" & 8" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) *** | 437.51 |
| UP1234-1.28-SC-T42-TS-9W->12W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.28 GPF) *** WALL SIZES 9" to 12" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) *** | 450.10 |
| UP1234-1.6-SC-T42-TS-1W->6W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 1" to 6" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) *** | 437.51 |
| UP1234-1.6-SC-T42-TS-7W & 8W | CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 7" & 8" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) *** | 437.51 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---|---|--------|
| UP1234-1.6-SC-T42-TS-9W->12W | <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 9" to 12" *** ** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) ***</p> | 450.10 |
| <p>Concealed - Piston Style Empire Hydro-Flush - Water Closets/Urinals</p> | | |
| E1234-1.1-SC-T42-TS-1W->6W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.1 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.1-SC-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p> | 404.52 |
| E1234-1.1-SC-T42-TS-7W & 8W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.1 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.1-SC-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p> | 404.52 |
| E1234-1.1-SC-T42-TS-9W->12W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.1 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.1-SC-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***</p> | 423.02 |
| E1234-1.28-SC-T42-TS-1W->6W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.28 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.28-SC-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p> | 404.52 |
| E1234-1.28-SC-T42-TS-7W & 8W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.28 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.6-SC-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p> | 404.52 |
| E1234-1.28-SC-T42-TS-9W->12W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.28 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.28-SC-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***</p> | 423.02 |
| E1234-1.6-SC-T42-TS-1W->6W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, w/ TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.6 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.6-SC-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p> | 404.52 |
| E1234-1.6-SC-T42-TS-7W & 8W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR & TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.6 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** E1234-1.6-SC-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p> | 404.52 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|-----------------------------|--|--------|
| E1234-1.6-SC-T42-TS-9W->12W | <p>CONCEALED EMPIRE HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR& TruStop 1" ANGLE STOP & SWEAT ADAPTER for 1.5" CONCEALED BACK SPUD (1.6 GPF)</p> <p>*** WALL SIZEs 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** E1234-1.6-SC-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***</p> | 404.52 |
|-----------------------------|--|--------|

The Original - All Flushboy Valves

| Diaphragm Style - Manual | Flushboy - Exposed Water Closets/Urinals | |
|--------------------------|--|--------|
| F402-1.6-GJ-T42 | EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTER KIT (1.6 GPF) | 231.49 |
| F402-3-GJ-T42 | EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF) | 231.49 |
| F402-GJ-T42 | EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (4.5 GPF) | 231.49 |
| F451-1-GJ-T42 | EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF) | 231.49 |
| F452-1.5-GJ-T42 | EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT, SWEAT ADAPTER KIT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF) | 278.20 |
| Concealed Manual | Flushboy - Concealed Water Closets/Urinals | |
| F533-3-GJ-1W->7W | <p>CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZEs 1" to 7" (3.5 GPF)</p> <p>*** WALL SIZE REQUIRED ***</p> | 336.96 |
| F533-3-GJ-8W+ | <p>CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZEs 8" & HIGHER (3.5 GPF) *** WALL SIZE REQUIRED ***</p> | 365.58 |
| F533-GJ-1W->7W | <p>CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZEs 1" to 7" (4.5 GPF)</p> <p>*** WALL SIZE REQUIRED ***</p> | 336.96 |
| F533-GJ-8W+ | <p>CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZEs 8" & HIGHER (4.5 GPF) *** WALL SIZE REQUIRED ***</p> | 365.58 |
| F534-1.6-GJ-1W->7W | <p>CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZEs 1" to 7" (1.6 GPF) **** WALL SIZE REQUIRED ****</p> | 337.40 |
| F534-1.6-GJ-8W+ | <p>CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZEs & HIGHER (1.6 GPF)</p> | 375.73 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|--------------------------------------|---|--------|
| F534-3-GJ-1W->7W | CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (3.5 GPF) **** WALL SIZE REQUIRED **** | 337.40 |
| F534-3-GJ-8W+ | CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (3.5 GPF) | 375.73 |
| F534-GJ-1W->7W | CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (4.5 GPF) **** WALL SIZE REQUIRED **** | 337.40 |
| F534-GJ-8W+ | CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (4.5 GPF) | 375.73 |
| F537-1.6-GJ-C | CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up) | 342.90 |
| F537-3-GJ-C | CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED **** | 342.90 |
| Security Application - Manual | Flushboy | |
| F529-1.6-GJ-T42-1W->7W | CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (1.6 GPF) *** WALL SIZE REQUIRED *** | 365.68 |
| F529-1.6-GJ-T42-8W+ | CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (1.6 GPF) *** WALL SIZE REQUIRED *** | 396.44 |
| F529-3-GJ-T42-1W->7W | CONCEALED FLUSHBOY SECURITY VALVE for WATER SAVER WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (3.5 GPF) *** WALL SIZE REQUIRED *** | 365.68 |
| F529-3-GJ-T42-8W+ | CONCEALED FLUSHBOY SECURITY VALVE for WATER SAVER WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (3.5 GPF) *** WALL SIZE REQUIRED *** | 396.44 |
| F529-GJ-T42-1W->7W | CONCEALED FLUSHBOY SECURITY VALVE for OLD STYLE WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (4.5 GPF) *** WALL SIZE REQUIRED *** | 365.68 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|--|---|--------|
| F529-GJ-T42-8W+ | CONCEALED FLUSHBOY SECURITY VALVE for OLD STYLE WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (4.5 GPF) *** WALL SIZE REQUIRED *** | 396.44 |
| F623-3-GJ | CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED **** | 390.60 |
| Security Application - Hydraulic Flushboy Hydro-Flush | | |
| F1223-1.6-GJ-T42-1W->5W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-5W (The Installation Kit) *** | 537.89 |
| F1223-1.6-GJ-T42-6W & 7W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 6" & 7" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-7W (The Installation Kit) *** | 558.34 |
| F1223-1.6-GJ-T42-8W->11W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 8" to 11" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-11W (The Installation Kit) *** | 583.82 |
| F1223-3-GJ-T42-1W->5W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-5W (The Installation Kit) *** | 537.89 |
| F1223-3-GJ-T42-6W & 7W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 6" & 7" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-7W (The Installation Kit) *** | 558.34 |
| F1223-3-GJ-T42-8W->11W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 8" to 11" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-11W (The Installation Kit) *** | 583.82 |
| F1229-1.6-GJ-T42-1W->6W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF) **** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1229K-6W (The Installation Kit) *** | 559.60 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|--------------------------|--|--------|
| F1229-1.6-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF)</p> <p>**** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1229K-8W (The Installation Kit) ***</p> | 586.14 |
| F1229-1.6-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (1.6 GPF)</p> <p>**** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1229K-12W (The Installation Kit) ***</p> | 612.08 |
| F1229-3-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF)</p> <p>**** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1229K-6W (The Installation Kit) ***</p> | 559.60 |
| F1229-3-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF)</p> <p>**** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1229K-8W (The Installation Kit) ***</p> | 586.14 |
| F1229-3-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (3.5 GPF)</p> <p>**** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1229K-12W (The Installation Kit) ***</p> | 612.08 |
| F1229-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF)</p> <p>**** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1229K-6W (The Installation Kit) ***</p> | 559.60 |
| F1229-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF)</p> <p>**** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1229K-8W (The Installation Kit) ***</p> | 586.14 |
| F1229-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT TAILPIECE (4.5 GPF)</p> <p>**** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1229K-12W (The Installation Kit) ***</p> | 612.08 |
| Hydraulic | Flushboy Hyro-Flush (Water Closets/Urinals) | |
| F1233-1.6-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF)</p> <p>**** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***</p> | 432.28 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|--------------------------|---|--------|
| F1233-1.6-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF)</p> <p>**** WALL SIZEs 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***</p> | 432.28 |
| F1233-1.6-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF)</p> <p>**** WALL SIZEs 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***</p> | 477.50 |
| F1233-3-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF)</p> <p>**** WALL SIZEs 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***</p> | 432.28 |
| F1233-3-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF)</p> <p>**** WALL SIZEs 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***</p> | 432.28 |
| F1233-3-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF)</p> <p>**** WALL SIZEs 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-3-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***</p> | 477.54 |
| F1233-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF)</p> <p>**** WALL SIZEs 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***</p> | 432.30 |
| F1233-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF)</p> <p>**** WALL SIZEs 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***</p> | 432.30 |
| F1233-GJ-T42-9W->12W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF)</p> <p>**** WALL SIZEs 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***</p> | 477.50 |
| F1234-1.6-GJ-T42-1W->6W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZEs 1" to 6" ***</p> <p>**SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p> | 456.50 |
| F1234-1.6-GJ-T42-7W & 8W | <p>CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZEs 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS:</p> <p>*** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p> | 456.50 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|--------------------------|---|--------|
| F1234-1.6-GJ-T42-9W->12W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) *** | 469.70 |
| F1234-3-GJ-T42-1W->6W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) *** | 456.50 |
| F1234-3-GJ-T42-7W & 8W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) *** | 456.50 |
| F1234-3-GJ-T42-9W->12W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) *** | 469.70 |
| F1234-3-GJ-C-T42 | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-?W (The Installation Kit) *** | 491.30 |
| F1234-GJ-T42-1W->6W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) *** | 456.50 |
| F1234-GJ-T42-7W & 8W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) *** | 456.50 |
| F1234-GJ-T42-9W->12W | CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) *** | 469.70 |

Small Diaphragm Valves

| Small Diaphragm Style | Presto - Water Closets/Urinals | |
|-----------------------|--|--------|
| P402-G-T42 | EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTER KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF) | 242.00 |
| P451-1-T42 | EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF) | 242.00 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|------------------------------|---|--------|
| P451-T42 | EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.5 GPF) (CHG) | 242.00 |
| P577-1.6-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF) | 271.50 |
| P577-3-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF) | 271.50 |
| Small Diaphragm Style | Rex - Water Closet & Urinals + Presto 577s | |
| R401-1.28-G-NF | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF) | 204.50 |
| R401-1.6-G-NF | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF) | 204.50 |
| R401-3-G-NF | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF) | 204.50 |
| R402-1.28-G | EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD & SEAT BUMPER on the STOP (1.28 GPF) | 207.60 |
| R402-1.6-G | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF) | 207.60 |
| R402-3-G | EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF) | 207.60 |
| R411-1.6-J-NF | EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF) | 204.50 |
| R411-3-J-NF | EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF) | 204.50 |
| R451-0.5 | EXPOSED REX VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (0.5 GPF) | 210.10 |
| R451-1 | EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF) | 210.10 |
| R526-1.6-NF | EXPOSED REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) | 193.30 |
| R526-3-NF | REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF) | 193.30 |

Last Update: 25 Jul 2022 - Version 3

| | | |
|---------------|---|--------|
| R527-1.6-NF | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF) | 195.70 |
| R527-3-NF | REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF... | 195.70 |
| P577-1.6-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF) | 271.50 |
| P577-3-J-NF | PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF) | 271.50 |